

BRIZO®

FULL-LINE CATALOG | 2018-2019



FASHION

ISN'T JUST

ABOUT

CLOTHES.

IT'S

A

LIFESTYLE.

*IT'S THE CULTURE WE
EXPERIENCE, the places
we travel, the things we eat—
and yes, the way we design
our homes.*

For those who embrace fashion as a lifestyle, every choice they make is an opportunity to make a statement. To put their taste and perspective on display. To elevate their surroundings—and inspire those around them.

Those people aren't just wearing fashion;
they're living it.



TABLE *of* CONTENTS



14 | THE NEXT LEVEL



34 | BON APPETIT & BRIZO



110 | WORLD CLASS

- 4 Style Continuum
- 6 Product Continuum
- 8 Confidence Has A Look
Art Meets Craft: Introducing the New Litze™ Bath Collection, 10
- 14 Luxury in Every Detail
The Next Level:
The Articulating Kitchen Faucet with SmartTouch® Technology 16
Crafted to Perfection, 18
- 20 Designing for the Future
Innovations for the Kitchen, 22
Innovations for the Bath, 24
- 26 Luxury with a Conscience
Sustainable Luxury, 28
National Sponsor of the St. Jude *Dream Home*® Giveaway, 30
- 32 Kitchen
- 34 *Bon Appetit* & Brizo
Belo,® 36
Solna,® 38
Venuto,® 40
Vuelo,® 42
- 44 Bath
Charlotte,® 46
Levoir® (NEW), 50
Litze™, 54
Rook™, 58
RSVP,® 62
Siderna,® 66
Sotria,® 70
Vettis™ (NEW), 74
Virage® 78
- 82 Shower
Ultimate Serenity, 84
H₂Okinetic® Technology, 86
Choose Your Level of Luxury, 88
Pressure Balance Showers, 90
TempAssure® Thermostatic Showers, 92
TempAssure® Thermostatic Showers with Integrated Diverter, 94
Sensori® Showers, 96
Wall Mount Showerheads, 98
Ceiling Mount Raincan Showerheads, 99
Hydrati® 2|1 Showers, 100
Handshowers, 102
HydraChoice™ Max Body Spray System, 104
- 106 Tub Fillers
Single-Handle Freestanding, 108
- 110 World Class
- 112 Luxury Design Projects

Style CONTINUUM

FROM STATELY TO MODERN,
AND ALL THAT'S IN BETWEEN.

Brizo® is a luxury fittings brand for people who understand that fashion isn't just about the clothes they wear — but their entire lifestyle.

We create distinctive designs that don't just complete rooms — they inspire spaces.

And that inspiration begins right here: all Brizo collections are arranged on the style continuum, from stately to modern. So identify the look you desire and then find the Brizo collection to match.





STATELY

The stately style draws inspiration from classical design periods to create an authentic, heavily ornate space. Natural materials, including marble and limestone, combine with woods in deep, rich tones, such as mahogany, to ground the style with a sense of history.



TRADITIONAL

The traditional style taps into a sense of heritage and longevity, creating a comfortable, broken-in look reflective of years of use. Dark wood tones pair with matte and distressed finishes to create an aesthetic that's formal and decorative in nature, while still retaining a warm, handcrafted feel.



CASUAL

The casual style is all about timeless design. Traditional, historic or vintage styles are given a fresh look with clean lines that defy aging. A de-emphasis of decoration and ornamentation keeps the focus on the simple sophistication of the design, and creates a comfortable, relaxed atmosphere.



CONTEMPORARY

Minimalist and streamlined, the contemporary style seeks to create feelings of simplicity, harmony and balance. Clean lines and simple designs pair with sleek, streamlined hardware in stainless steel, polished nickel or chrome finishes. Light-grained woods and stone bring warmth to the space.



MODERN

Simplicity is at the heart of what it means to be modern. Objects and spaces feature crisp, clean, minimalist lines with a decided geometric bent. Edges are more defined; everything is stripped down to its essence. Ultimately, the modern style is a celebration of the beauty to be found in man-made objects.

KITCHEN *Continuum*

COLLECTIONS ARRANGED FROM **STATELY** TO **MODERN**.



BELO® 36



SOLNA® 38



VENUTO® 40



VUELO® 42



KITCHEN & BATH FINISHES

- | | | |
|----------------------------------|---|---|
| Polished Chrome (PC) | Brilliance® Brushed Bronze (BZ) | Brilliance® Luxe Nickel® / Teak (NKTK) |
| Brilliance® Polished Nickel (PN) | Venetian Bronze® (RB) | Brilliance® Polished Chrome / Matte Black (PCBL) |
| Brilliance® Luxe Nickel® (NK) | Matte Black (BL) | Brilliance® Polished Nickel with Cocoa Bronze™ (PNCO) |
| Brilliance® Brushed Nickel (BN) | Matte Black with Soft-Touch® (BLST) | Brilliance® Luxe Nickel® / Matte Black (NKBL) |
| Brilliance® Stainless (SS) | Polished Chrome/Matte White (PCMW) | Brilliance® Brushed Nickel / Matte Black (BNBL) |
| Matte White (MW) | Brilliance® Luxe Nickel® / Polished Chrome (NKPC) | Brilliance® Stainless with Cocoa Bronze™ (SSCO) |
| Brilliance® Luxe Gold™ (GL) | Brilliance® Polished Chrome / Teak (PCTK) | Brilliance® Stainless with Soft-Touch® (SSST) |
| Brilliance® Luxe Steel™ (SL) | | |

BATH *Continuum*

COLLECTIONS ARRANGED FROM **STATELY** TO **MODERN**.



CHARLOTTE® 46



NEW LEVOIR™ 50



LITZE™ 54



ROOK™ 58



RSVP® 62



SIDERNA® 66



SOTRIA® 70



NEW VETTIS™ 74



VIRAGE® 78





CONFIDENCE

HAS A

LOOK

CUTTING-EDGE DESIGN IS THE DRIVING
FORCE BEHIND EVERY BRIZO® COLLECTION.

We don't hesitate to push beyond the predictable to create
something truly unique—looking past what's known to
discover what's next.

ART *meets*
CRAFT





LITZE™ BATH COLLECTION

*Timeless design.
Enduring craftsmanship.*

The Litze Bath Collection beautifully combines both virtues—taking an old style and creating something completely new.

“In Litze, we’ve created a collection where everything has a purpose, which leads to a design that’s modern, refined, clean—and surprisingly multi-faceted,” says Jordan Bahler, Brizo® Lead Industrial Designer.

Merging distinctive design with meticulous craftsmanship creates a look that stands the test of time. Litze is perfectly at home in a modern classic environment or an urban, industrial space.

[VIEW COMPLETE LITZE COLLECTION](#) | PG 54








The versatility can be credited to the impressive variety of styles and configurations the collection offers. This includes three unique handle options—Lever, T-Lever, and Industrial Lever—as well as high and low spout widespread lavatories and single-handle deck and wall mount lavatories. Throughout the collection, solid brass knurling is subtly applied—an exquisite detail inspired by the revival of the arts and crafts movement that creates an industrial yet refined look.

***“IN LITZE™, WE’VE CREATED
A COLLECTION WHERE
EVERYTHING HAS A PURPOSE*”**

Similarly, the effortless curve of the faucet’s bent tube spout reflects the emphasis on simplicity in the Bauhaus design school—another movement that played a key role in the collection’s inspiration.



The collection’s beauty and innovation extends to the showering space, as well. The slide bar handshower with wheel features solid brass knurled elements, while a jointed shower arm allows you to position the showerhead just to your liking. And the new thermostatic shower valve features integrated volume, temperature and diverter controls—an example of elegance in both style and functionality.

Indeed, this level of refined, elegant thinking is a fitting theme for the collection as a whole. With its timeless details, thoughtful innovations and myriad style options, the Litze Bath Collection is the epitome of Brizo® design: a seamless marriage of both art and craft.



LUXURY

IN EVERY

DETAIL

CRAFTSMANSHIP IS ESSENTIAL TO BRINGING
EACH AND EVERY STATEMENT TO LIFE.

No facet is too small to be thoughtfully designed, meticulously detailed—and throughly obsessed over. Our focus on artistry results in intricate touches like the knurling texture throughout the Litze™ Bath Collection, leads to revolutionary functionality like the Articulating Kitchen Faucet, and allows us to create things no one else can, like the twist in our Virage® Bath Collection. Finally, demonstrating that our focus on craft is evident at every stage, each product is carefully assembled by hand—ensuring only the highest quality standards are met.



The **NEXT
LEVEL**

THE
ARTICULATING
KITCHEN FAUCET
WITH **SMARTTOUCH[®]**
TECHNOLOGY

Brizo[®] products redefined state-of-the-art when we introduced the Articulating Kitchen Faucet. Now, we're combining this breakthrough product with another of our signature innovations: SmartTouch Technology.

Representing the next level of culinary innovation, the faucet echoes the timeless design of the architect—or “task”—lamp, and provides an entirely new level of control in the kitchen.





VIEW COMPLETE SOLNA® COLLECTION | PG 38



With SmartTouch Technology, you simply touch anywhere on the faucet's body, handle or arm to turn water flow on or off. And integrated TempID™ Technology lets you know how warm or cool the water is with an LED light that changes color as the water changes temperature.

"The Articulating Kitchen Faucet is designed to adapt to the way you work," says Celine Garland, Brizo Lead Industrial Designer. "The beauty of the articulating arm is how well it can direct water where you need it; and with the addition of SmartTouch Technology, you have even more freedom in the kitchen."

“**SMARTTOUCH[®]**
TECHNOLOGY GIVES YOU
EVEN MORE FREEDOM IN
THE KITCHEN”

CELINE GARLAND, *BRIZO LEAD INDUSTRIAL DESIGNER*

Adds Brizo Product Manager Sarah Schlifke, "The exposed hose design is striking to look at—both timeless and modern. And more than that, it's truly functional, as well."

The Articulating Kitchen Faucet with SmartTouch Technology is available within two of Brizo's most distinctive kitchen collections: Artesso® and Solna®.



Crafted to
PERFECTION

We obsess over each and every detail in our tub fillers—because nothing should compromise an indulgent, spa-like experience.

Nowhere else is the craftsmanship in every Brizo® product more evident than our tub fillers—like the handcrafted knurling texture in the Litze™ Collection or the delicate twist in the Virage® Collection—the unique elements are enhanced by the scale of the tub fillers.

Brizo offers both single-handle and two-handle freestanding tub fillers to fit any room aesthetic. Single-handle tub fillers effortlessly evoke a contemporary design aesthetic—bringing stunning new life to a modern or traditional bath space. Beyond simply making a statement, Brizo tub fillers incorporate a wealth of innovative features, including an indexing handshower to ensure drips land in the tub instead of on the floor, as well as H₂Okinetic® handshowers (on select models) to provide an indulgent experience, while using less water.



Classic and timeless, the two-handle design pairs traditional styling with an array of configurations and trim kit options, allowing you to create a look that matches virtually any space. Separate trim kits include the handshower, spout and handles, and are designed to coordinate with a variety of Brizo bath collections, while floor mount, deck mount and wall mount installation options offer an added degree of flexibility.

Each floor mount tub filler pairs with a state-of-the-art rough that ensures faucet stability, simplifies installation and allows for constant spout height to the finished floor. And the high flow rate on all models allows you to fill the tub more efficiently—and escape to your private retreat even faster.



DESIGNING

FOR THE

FUTURE

INNOVATION INSPIRES EVERYTHING WE DO,
from expertly engineered Articulating Kitchen Faucets
and breakthrough SmartTouch® and SmartTouchPlus™
technologies, to our revolutionary H₂Okinetic® Technology
for the shower. Fashion never stands still, and neither do we.

SMARTTOUCH[®] TECHNOLOGY

*Kitchen convenience starts
with a touch.*

Allowing you to activate water flow with a simple touch to the faucet body, spout or handle, SmartTouch Technology brings a new level of convenience to the kitchen. This functionality makes it easy to activate water flow only when needed, helping reduce water usage and promoting efficiency of motion. Integrated TempID™ Technology lets you know how warm or cool the water is with an LED light that changes color as the water changes temperature.



DIAMOND SEAL[®] TECHNOLOGY

Durable by design.

Our DIAMOND Seal Technology uses a diamond-coated valve to bring you a faucet built to last up to 5 million uses. With its durable components and simple construction, a DIAMOND Seal Technology valve lasts up to 10 times longer than the industry standard (based on ASME 112.18.1 of up to 500,000 cycles).





MAGNEDOCK® TECHNOLOGY

A new kind of security.

The first technology of its kind available, MagneDock features a patented, state-of-the-art magnetic docking system. In the kitchen, this system securely holds the spray wand in place when not in use. The durable magnets are made to last forever, while their polarity keeps the spray head perfectly aligned, for a clean, seamless look that maintains the faucet's distinctive form.



2-BUTTON, 4-FUNCTION SPRAY WAND

Take control.

This innovative feature provides users with exceptional control of their faucet's water flow. Alternate between stream and spray, control the water's volume in spray or stream mode, and even pause and restart the flow—all with two button simplicity. For both cooking and clean-up, take control of your water like never before.

SMARTTOUCH^{PLUS}TM TECHNOLOGY

Set your hands free.


The next generation of SmartTouch[®] Technology, SmartTouch^{Plus} adds proximity sensing to our existing touch technology, allowing for both hands-free and touch-sensitive operation. Integrated TempID[™] Technology lets you know how warm or cool the water is with an LED light that changes color as the water changes temperature. It's a whole new level of control—and convenience.



TEMPIQ[®] TEMPERATURE CONTROL TECHNOLOGY

A smarter take on temperature.

TempIQ Temperature Control Technology is powered by an electronic thermostatic valve, EPV[™], that senses the water temperature before it leaves the spout. An LED light changes color to let you know exactly when water has reached your desired temperature. The valve continually adjusts the hot/cold water mix to maintain a consistent water temperature with no sudden (and unwelcome) increases or decreases, while the true high-temperature limit stop offers an added degree of safety.





H₂OKINETIC[®] TECHNOLOGY

Better showers. Less water.

H₂Okinetic Technology is the study of water in motion, and Brizo[®] Custom Shower Systems were the first to bring this revolutionary technology to market. By controlling water's shape, velocity and thermal dynamics, we've reinvented the showering experience—creating a warmer, more luxurious spray that blankets the body, giving the feeling of a high-flow spray with a fraction of the water.

SEE PG 86 FOR MORE INFORMATION



LUXURY

WITH A

CONSCIENCE

GOOD DESIGN CAN DO MORE.

We've worked for years to ensure our products are environmentally friendly, but our impact doesn't end there. Being good citizens of our community, as well as good stewards of the planet, is what we strive for.




Sustainable
LUXURY

LUXURY.

To us, it means more than an exquisite indulgence. It's finding innovative ways to elegantly combine superior design and function—and recognizing the value of one of our planet's most precious resources: *water*.

That's why we focus on creating products that prove a superlative, luxurious experience can also be environmentally conscious.



Brizo®, as part of Delta Faucet Company, was named one of the 2015 WaterSense® Sustained Excellence Award winners for products that meet or exceed the water efficiency requirements set forth by the Environmental Protection Agency (EPA).

Our commitment to sustainability impacts everything we do—from our WaterSense® labeled faucets and showerheads offered throughout all of our bath collections, to our revolutionary H₂Okinetic® Technology that creates the feeling of a high-flow spray while using only a fraction of the water.

That's why we are a proud three-time WaterSense Partner of the Year. And why we were named one of the 2015 WaterSense Sustained Excellence Award winners.

We take our commitment to helping make the world a better place seriously, which is

why we are quick to embrace new state-specific water efficiency requirements, including the new, more stringent California Title 20 water-efficiency standards that are comparable to or lower than the applicable WaterSense program standards.

To address growing water-conservation concerns across the U.S., water saving products for the kitchen, bath and shower are available to everyone looking to be more water-conscious.

IT'S NOT JUST THE THINGS WE MAKE.
IT'S THE MARK
WE MAKE ON THIS
WORLD.

ST. JUDE CHILDREN'S RESEARCH HOSPITAL® IS LEADING THE WAY
THE WORLD UNDERSTANDS, TREATS AND DEFEATS CHILDHOOD CANCER
AND OTHER LIFE-THREATENING DISEASES.



Treatments invented at St. Jude have helped push the overall childhood cancer survival rate from 20 percent when the hospital opened to more than 80 percent. St. Jude is working to drive that survival rate to 90 percent, and won't stop until no child dies from cancer.

In 2010, Brizo® became the first national sponsor of the St. Jude Dream Home® Giveaway. This fundraising initiative helps fund the lifesaving work of St. Jude by giving thousands of people the opportunity to win a beautiful, brand new home—made possible through the tireless efforts of volunteer builders, and constructed primarily using donated land, labor and materials, including more than \$3 million in Brizo products and donations.

To locate a St. Jude Dream Home Giveaway in your area, or to find out how you can get involved, visit brizo.com/stjude or stjudedreamhome.org.

St. Jude Dream Home® Giveaway







BON APPETIT & BRIZO®

A collaboration of unique perspectives always creates surprising results. In partnership with *Bon Appetit* magazine, we brought together thought leaders in the kitchen world for a discussion at Condé Nast headquarters in New York. The panel consisted of Alison Cayne, sustainable food advocate and founder of Haven's Kitchen; Athena Calderone, designer and founder at the well-known lifestyle blog EyeSwoon; and Jordan Bahler, Brizo Lead Industrial Designer. Together, they talked about current trends in the kitchen space—and what the future holds.

.....

Q: *What does the kitchen represent for you?*

Athena: I would say that it always represented family and love and togetherness.

Jordan: I totally agree... as Athena was saying, you prepare food for your loved ones there. And I think that's really your opportunity to express your feelings for your friends and your family with the act of serving.

Alison: It's actually an altar in many cultures around the world. The kitchen is considered the temple of the home. If the house is a body, the kitchen is the heart.

Q: *How do you approach designing for the kitchen?*

Athena: I think that you are always wanting a little bit of contrast and juxtaposition... that's what creates a little bit of intrigue and curiosity, something that's not just the strait and narrow.

Q: *What about your kitchen has made you a better cook?*

Alison: I would say open shelving has made me a better cook, because I can grab quickly, I know exactly what I have, I know exactly what I'm using and what I'm not using...it's improved my timing and timing is everything.

“***IF THE HOUSE IS A BODY,
THE KITCHEN IS THE
HEART.***”

ALISON CAYNE

FOUNDER OF HAVEN'S KITCHEN

Q: *What's happening right now in the kitchen that interests you?*

Athena: I feel like I'm seeing a lot of pine floors in homes and kitchens, and combinations of timeless details and slicker, more modern materials.

Alison: People are realizing more and more the importance of sustainability in their food, which is encouraging.

Jordan: Designing for the kitchen in general is interesting because it's a two-fold assignment; there's the style aspect and the functionality. It's a challenge balancing the two in our designs, which means it's never boring.



LEFT:
The panel, from left: Christine Muhlke, Executive Editor at *Bon Appétit* magazine; Alison Cayne, sustainable food advocate; Athena Calderone, designer and founder of the blog EyeSwoon; Jordan Bahler, Brizo Lead Industrial Designer




RIGHT:
Jordan Bahler, Brizo Lead Industrial Designer, talks about the challenges—and fun—of designing for the kitchen.





BELO[®]



THE BELO® KITCHEN COLLECTION

SINGULAR. FLOWING.
SEDUCTIVE.

A true work of art, the Belo Kitchen Collection by Brizo® features a design as much sculpture as faucet. Its elegant, sweeping form is paired with a two-button, four-function pull-down wand that attaches with MagneDock® Technology.

Instant attraction.



A. SINGLE-HANDLE PULL-DOWN 63052LF-PC
Height: 15" Reach: 9 1/2" Max Flow: 1.8 gpm @ 60 psi

B. SINGLE-HANDLE PULL-DOWN PREP 63952LF-PC
Height: 13 1/2" Reach: 6 1/2" Max Flow: 1.8 gpm @ 60 psi

C. BUD VASE RP49587PC

D. SOAP/LOTION DISPENSER RP49589PC



AVAILABLE FINISHES



POLISHED
CHROME
(PC)



BRILLIANCE®
STAINLESS
(SS)



THE SOLNA® KITCHEN COLLECTION

SLEEK. STYLISH.
SCANDINAVIAN.

A northern accent.

Inspired by contemporary Scandinavian furniture, the Solna Kitchen Collection by Brizo® features crisp lines and a beautifully simple form delivering a sleek, sophisticated look to any culinary space. Both the kitchen and the prep pull-down models feature a completely "hidden" pull-down spray wand held in place with MagneDock® Technology and optional SmartTouch® Technology activates water flow with a touch anywhere on the faucet spout or handle. The Articulating Kitchen Faucet provides exceptional range of movement and greater versatility for common kitchen tasks.



- A. SINGLE-HANDLE ARTICULATING 63221LF-PC-IN
Max Height: 20⁹/₁₆" Max Reach: 10¹/₂"
Max Flow: 1.8 gpm @ 60 psi (S2S)
Available without SmartTouch® Technology
- B. SINGLE-HANDLE PULL-DOWN WITH SMARTTOUCH® TECHNOLOGY 64020LF-BL
Height: 16³/₃₂" Reach: 9³/₃₂"
Max Flow: 1.8 gpm @ 60 psi
Available without SmartTouch® Technology
- C. SINGLE-HANDLE PULL-DOWN PREP 63920LF-BL
Height: 12⁷/₁₆" Reach: 7¹/₁₆"
Max Flow: 1.8 gpm @ 60 psi
Available with SmartTouch® Technology
- D. SOAP/LOTION DISPENSER* RP79275BL
- E. SINGLE-HANDLE PULL-OUT* 63220LF-BL
Height: 11¹/₁₆" Reach: 8²⁵/₃₂"
Max Flow: 1.8 gpm @ 60 psi
- F. HIDDEN PULL-DOWN WAND WITH MAGNEDOCK® TECHNOLOGY
(Single-Handle Pull-down and Prep models only)

AVAILABLE FINISHES

-  POLISHED CHROME (PC)
-  BRILLIANCE® STAINLESS (SS)
-  MATTE WHITE (MW)
Pull-down models only
-  MATTE BLACK (BL)

* Select models and accessories not available in all finishes.





VENUTO®



THE VENUTO® KITCHEN COLLECTION

**STRONG. CALM.
SOPHISTICATED.**

A welcome change.

The Venuto Kitchen Collection by Brizo® was designed under the philosophy that a faucet should be both beautiful and functional. The strong lines and geometric appearance become a focal point in any kitchen. And with available SmartTouch® Technology, it brings a new level of safety and convenience to the kitchen, allowing you to control water flow with just a simple touch.



A. SINGLE-HANDLE PULL-DOWN 63070LF-SS
Height: 15 1/2" Reach: 9 1/2" Max Flow: 1.8 gpm @ 60 psi

B. SINGLE-HANDLE PULL-DOWN PREP WITH SMARTTOUCH® TECHNOLOGY* 64970LF-SS
Height: 14 1/2" Reach: 6 1/2" Max Flow: 1.8 gpm @ 60 psi
Available without SmartTouch® Technology

C. SINGLE-HANDLE PULL-DOWN WITH SMARTTOUCH® TECHNOLOGY* 64070LF-SS
Height: 15 1/2" Reach: 9 1/2" Max Flow: 1.8 gpm @ 60 psi

D. BUD VASE® RP42879SS

E. SOAP/LOTION DISPENSER RP42878SS



AVAILABLE FINISHES



* Select models and accessories not available in all finishes.





THE VUELO® KITCHEN COLLECTION

SOARING. SWEEPING.
SCINTILLATING.

Luxury takes flight.

Taking its design inspiration from a swan, the Vuelo Kitchen Collection by Brizo® forms a graceful, majestic silhouette—one that is only enhanced with the split finish options. With a wide variety of configurations, including the only Brizo high-rise pull-out design, as well as optional SmartTouch® Technology, Vuelo is a true departure from the ordinary.



A. SINGLE-HANDLE PULL-DOWN WITH SMARTTOUCH® TECHNOLOGY 64355LF-SSCO
Height: 16 1/4" Reach: 10 1/4"
Max Flow: 1.8 gpm @ 60 psi (S2S)

B. SINGLE-HANDLE PULL-OUT 63255LF-PCMW
Height: 16 3/4" Reach: 10" Max Flow: 1.8 gpm @ 60 psi
Available with SmartTouch® Technology

C. SINGLE-HANDLE PULL-DOWN PREP 63955LF-SSCO
Height: 15" Reach: 7 1/8"
Max Flow: 1.8 gpm @ 60 psi
Available with SmartTouch® Technology

D. BUD VASE RP64474SSCO

E. SOAP/LOTION DISPENSER RP64473SSCO



AVAILABLE FINISHES








BATH



CHARLOTTE®



THE CHARLOTTE® BATH COLLECTION

OPULENT. POISED.
POETIC.

Artful indulgence.

The Charlotte Bath Collection by Brizo® infuses clean lines with classical elegance, deftly bridging the gap between traditional and modern design. The first collection available with our Cocoa Bronze finish, the single-hole electronic lavatory features SmartTouchPlus™ Technology (allowing hands-free and touch activation), as well as TempIQ® Temperature Control Technology. The Charlotte collection's bold symmetry and sumptuous details add an instant sophistication to any bath.



- A. WIDESPREAD LAVATORY WITH HANDLES†
65385LF-PNCOLHP; HL5385-PNCO
Height: 7³/₈" Reach: 5"
Max Flow: 1.5 gpm @ 60 psi (S2S)
- B. WALL MOUNT LAVATORY WITH HANDLES†
65885LF-PNCOLHP; HL5885-PNCO
Reach: 8¹/₄" Max Flow: 1.5 gpm @ 60 psi
- C. WIDESPREAD VESSEL LAVATORY WITH HANDLES†
65485LF-PNCOLHP; HL5485-PNCO
Height: 12³/₄" Reach: 5" Max Flow: 1.5 gpm @ 60 psi
- D. SINGLE-HANDLE WITH SMARTTOUCHPLUS™ TECHNOLOGY 65985LF-PNCO
Max Height: 10" Reach: 5¹/₁₆"
Max Flow: 1.5 gpm @ 60 psi
Available with optional escutcheon
- E. SINGLE-HANDLE LAVATORY† 65085LF-PNCO (S2S)
Max Height: 9²⁵/₃₂" Reach: 5¹/₁₆" Max Flow: 1.5 gpm @ 60 psi
Available with optional escutcheon
- F. WALL MIRROR 698085-PNCO (S2S)
Size: 20" x 26"
- G. 18" TOWEL BAR 691885-PNCO
Available as 24"
- H. 24" DOUBLE TOWEL BAR 692585-PNCO (S2S)
- I. SINGLE LIGHT SCONCE 697085-PNCO (S2S)
Height: 11⁷/₁₆"
- J. TOWEL RING 694685-PNCO (S2S)
- K. DOUBLE ROBE HOOK 693585-PNCO (S2S)
- L. BIDET WITH HANDLES 68485-PNCOLHP; HL5385-PNCO
- M. TISSUE HOLDER 695085-PNCO (S2S)
- N. FRONT MOUNT FLUSH LEVER 696085-PNCO
Available as Side Mount

AVAILABLE FINISHES



† Available with 1.2 gpm max flow rate.



CHARLOTTE® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER 87385-PNCO; (S2S)
 Showerhead Max Flow: 2.0 gpm @ 80 psi 7.6 L/min @ 550 kPa; RP70909PN 8" Shower Arm T60085-PN
 TEMPASSURE® Thermostatic Valve Trim; R60000-UNBX
 MultiChoice® High Flow Universal Rough;
 RP70908PNCO Tub Spout with Pull-Down Diverter (S2S)
 Available as Shower Only and Valve Only

B. CEILING MOUNT RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 81385-PNCO
 8 1/4" showerhead; RP48985PN 6" arm
 Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

C. TRANSITIONAL HYDRATI® 2|1 SHOWER WITH H₂OKINETIC® TECHNOLOGY 86201-PNCO
 RP71649PN 7" arm; Hose: 60"
 Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

D. RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87385-PNCO (S2S)
 5 13/16" showerhead; RP70909PN 8" arm
 Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

E. SLIDE BAR HANDSHOWER 85785-PNCO
 Bar: 23 1/4" Hose: 60"
 Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

F. WALL MOUNT HANDSHOWER 85885-PNCO; Hose: 60"
 Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa (S2S)

G. HYDRACHOICE™ TOUCH-CLEAN® SPRAY HEAD†† AND ROUND TRIM SH84103-PN; T84613-PN
 Height: 3 1/2" Width: 3 1/2" Max Flow: 1.5 gpm @ 80 psi
 (Rough sold separately)

H. HYDRACHOICE™ SPRAY HEADS WITH H₂OKINETIC® TECHNOLOGY†† AND ROUND TRIM
 Height: 3 1/2" Width: 3 1/2" Max Flow: 1.5 gpm @ 80 psi
 (Rough sold separately) (S2S)
 (listed in order - left to right and top to bottom)
 SOOTHING SPRAY HEAD SH84100-PN; T84613-PN
 MASSAGING SPRAY HEAD SH84101-PN; T84613-PN
 INVIGORATING SPRAY HEAD SH84102-PN; T84613-PN

I. 24" ADA COMPLIANT TRADITIONAL GRAB BAR*
 69310-PN; Diameter: 1 1/4" Width from Wall: 2 3/4"
 Available as 12"

J. TWO-HANDLE FLOOR MOUNT FREESTANDING TUB FILLER T70385-PNCO; T70210-PNLHP; RP73766PN
 Height: 42 13/16" Reach: 8 1/4" Max Flow: 12 gpm @ 60 psi
 (Rough sold separately)
 Available as Wall Mount and Deck Mount

K. ROMAN TUB WITH HANDLES AND HANDSHOWER T67485-PNCO; HL685-PNCO
 Height: 9 1/8" Reach: 9" Max Flow: 18.5 gpm @ 80 psi
 (Rough sold separately)
 Available without Handshower
 Coordinating Pressure Balance showers available in select finishes. View Pressure Balance options on page 86.



* Select models and accessories not available in all finishes.
 † Available with 1.0 gpm max flow rate.



TEMPASSURE® THERMOSTATIC CUSTOM SHOWER SYSTEM

SHOWN WITH:

RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87385-PNCO; (S2S)
8" Shower Arm and Flange RP70909PN


WALL MOUNT HANDSHOWER 85885-PNCO (S2S)

6-FUNCTION DIVERTER TRIM T60985-PN

TEMPASSURE® THERMOSTATIC VALVE TRIM T60085-PN

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH SOOTHING SPRAY HEAD SH84100-PN

Hydrachoice™ Max Round Trim T84613-PN
View all TempAssure Thermostatic Custom Shower components starting on page 92.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

CEILING MOUNT RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 81385-PNCO
6" Ceiling Mount Shower Arm and Flange RP48985PN

RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87385-PNCO; (S2S)
8" Shower Arm and Flange RP70909PN (S2S)

TOUCH-CLEAN® BODY SPRAYS* 84110-PN

WALL MOUNT HANDSHOWER 85885-PNCO (S2S)


SENSORI® VOLUME CONTROL TRIM T66685-PNCO (S2S)

SENSORI® THERMOSTATIC VALVE TRIM T66T085-PNCO (S2S)

View all Sensori Custom Shower components starting on page 96.



LEVOIR™



THE LEVOIR™ BATH COLLECTION

DARING. DISTINGUISHED.
DEBONAIR.

The NEW Levoir Collection by Brizo® delivers cunning sophistication at every line of sight. Its sleek curvatures are deceptively understated, beguiling the senses while hinting there is more to be discovered than first meets the eye.

A thrilling intrigue.



- A. SINGLE-HANDLE LAVATORY FAUCET 65098LF-SL (S2S)
Max Flow: 1.5 gpm @ 60 psi
- B. TWO-HANDLE WALL MOUNT LAVATORY FAUCET - LESS HANDLES T65898LF-SLLHP;
Max Flow: 1.5 gpm @ 60 psi
(Rough R65800 sold separately)
- C. SINGLE-HANDLE WALL MOUNT LAVATORY FAUCET T65798LF-SL; (S2S)
Max Flow: 1.5 gpm @ 60 psi
(Rough R65800 sold separately)
- D. WIDESPREAD LAVATORY FAUCET WITH LOW SPOUT AND LOW LEVER HANDLES 65397LF-SLLHP;
Max Flow: 1.5 gpm @ 60 psi
- E. 24" TOWEL BAR
692498-SL
- F. TISSUE HOLDER
695098-SL
- G. DOUBLE ROBE HOOK
693598-SL
- H. HINGED ROBE HOOK
693597-SL

HANDLE OPTIONS

The Levoir Bath Collection has four handle options available for Widespread Faucets:

Low Lever, High Lever, Low Cross and High Cross
All Lever Handles available with Black Crystal Insert.



Low Lever Handle



High Lever Handle



Low Cross Handle



High Cross Handle

AVAILABLE FINISHES



* Select finishes not available on all models and accessories.

LEVOIR™ TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC VALVE WITH INTEGRATED 6-FUNCTION DIVERTER TRIM
T75698-SL (S2S)
(Rough sold separately)

B. TEMPASSURE® THERMOSTATIC VALVE ONLY TRIM
T60098-SL (S2S)
(Rough sold separately)

C. SENSORI® THERMOSTATIC VALVE TRIM WITH LEVER HANDLE T66T098-SLLHP; HL66698-SL
(Rough sold separately)

D. SENSORI® VOLUME CONTROL TRIM WITH LEVER HANDLE T66697-SL
(Rough sold separately)

E. H₂OKINETIC® ROUND WITH MULTIFUNCTION SHOWERHEAD WITH 7¹/₈" SHOWER ARM AND FLANGE
87498-SL; RP92044SL

F. ROUND RAINCAN SHOWERHEAD WITH 10" CEILING MOUNT SHOWER ARM AND FLANGE
81398-SL; RP48986SL

G. H₂OKINETIC® ROUND CEILING MOUNT PENDENT SHOWERHEAD 81335-SL

H. SINGLE-HANDLE FLOOR MOUNT TUB FILLER T70198-SL
Max Flow: 14.5 gpm @ 60 psi
(Rough sold separately)

I. H₂OKINETIC® MULTI-FUNCTION SLIDE BAR HANDSHOWER 81335-SL




J. H₂OKINETIC® MULTI-FUNCTION WALL MOUNT HANDSHOWER 88898-SL (S2S)

K. H₂OKINETIC® EURO ROUND HYDRATI® 2|1 SHOWER WITH 7" SHOWER ARM AND FLANGE 86275-SL-2.5; RP74751SL

L. DIVERTER TUB SPOUT RP92042-SL

M. NON DIVERTER TUB SPOUT RP92041-SL

N. HYDRACHOICE MAX™ BODY SPRAY SYSTEM T84613-SL; SH84101-SL; R84100 (S2S)







TEMPASSURE® THERMOSTATIC
SHOWER IN *BRILLIANCE*®
LUXE STEEL™ (SL)



SENSORI® THERMOSTATIC
SHOWER IN *BRILLIANCE*®
LUXE GOLD™ (GL)



LITZE™



THE LITZE™ BATH COLLECTION

TEXTURED. VERSATILE.
VIBRANT.

Art meets craft.

The Litze Bath Collection by Brizo® melds innovative engineering and artistry to strike a balance that is equally at home in modern classic environments and urban industrial spaces. With thoughtful details such as three distinctive handle options and a beautifully simple bent tube spout, the Litze collection offers a wide range of configurations inspired by the revival of the arts and crafts movement.



- A. SINGLE-HANDLE LAVATORY† 65035LF-GL
Height: 7 1/2" Reach: 5 1/2" Max Flow: 1.5 gpm @ 60 psi (S2S)
- B. WIDESPREAD LAVATORY WITH HIGH SPOUT AND INDUSTRIAL LEVER HANDLES† 65335LF-GLLHP; HL5334-GL
Height: 6 5/16" Reach: 5 9/16" Max Flow: 1.5 gpm @ 60 psi
Available with Lever and T-Lever Handles
- C. WIDESPREAD LAVATORY WITH LOW SPOUT AND LEVER HANDLES† 65337LF-GLLHP; HL5332-GL
Height: 4 15/16" Reach: 5 9/16" Max Flow: 1.5 gpm @ 60 psi
Available with T-Lever and Industrial Lever Handles
- D. WALL MOUNT LAVATORY† T65735LF-GL
Spout Length: 8 3/4"
Max Flow: 1.5 gpm @ 60 psi
(Rough R65700 sold separately) (S2S)
- E. DOUBLE ROBE HOOK 693535-GL
- F. 18" TOWEL BAR 691835-GL
Available as 24" and 30"
- G. BIDET 68135-GL
Max Height: 7 1/8" Reach: 4 7/8"
- H. ROTATING DOUBLE ROBE HOOK WITH KNURLING 693537-GL
- I. 8" MINI TOWEL BAR WITH KNURLING 694735-GL
- J. TISSUE HOLDER 695035-GL
- K. UNIVERSAL TANK LEVER 696335-GL
- L. DRAWER KNOB 699235-GL
- M. DRAWER PULL WITH KNURLING 699137-GL
- N. DRAWER PULL 699135-GL

AVAILABLE FINISHES



* Select finishes not available on all models and accessories.
† Available with 1.0 gpm max flow rate.

LITZE™ TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC SHOWER ONLY WITH LEVER HANDLES 87435-GL; Showerhead Max Flow: 2.0 gpm @ 80 psi 7.6 L/min @ 550 kPa; RP81434GL Jointed Shower Arm T60035-GLLHP; HL6032-GL TEMPASSURE® Thermostatic Valve Trim; *(Rough sold separately)*
Available with T-Lever and Industrial Lever Handles

B. CEILING MOUNT PENDANT RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 81335-GL 4", 6", 8" and 10" shower arms included
Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

C. RAINCAN SHOWERHEAD† 81375-GL
8" showerhead; RP48985GL 6" arm
Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

D. 7" WALL-MOUNT SHOWER ARM RP74751GL (S2S)

E. SENSORI THERMOSTATIC VALVE TRIM WITH T-LEVER HANDLES T66T035-GLLHP; HL6633-GL
(Rough sold separately)

F. TEMPASSURE® THERMOSTATIC VALVE WITH 3-FUNCTION DIVERTER TRIM AND T-LEVER HANDLES T75535-GLLHP; HL7533-G
(Rough sold separately)
Available with Lever Handles and Industrial Lever Handles
Available as Integrated 6-Function Diverter Trim

G. MULTI-FUNCTION SLIDE BAR HANDSHOWER WITH WHEEL AND H₂OKINETIC® TECHNOLOGY 88735-GL
Bar: 22 1/2" Hose: 60" Max Flow: 2.0 gpm @ 80 psi 7.6 L/min @ 550 kPa

H. MULTI-FUNCTION SLIDE BAR HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 85735-GL
Bar: 22 1/2" Hose: 60" Max Flow: 2.0 gpm @ 80 psi 7.6 L/min @ 550 kPa

I. MULTI-FUNCTION WALL MOUNT HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88835-GL (S2S)
Bar: 22 1/2" Hose: 60" Max Flow: 2.0 gpm @ 80 psi 7.6 L/min @ 550 kPa

J. EURO ROUND HYDRATI® 2|1 SHOWER WITH H₂OKINETIC® TECHNOLOGY 86275-GL
RP62929PC 7" arm; Hose: 60"
Max Flow: 2.5 gpm @ 80 psi, 7.6 L/min @ 550 kPa




K. SINGLE-HANDLE FREESTANDING TUB FILLER AND LEVER HANDLE T70135-GL; HL7032-GL
Height: 39 3/4" Reach: 9 1/4" Max Flow: 14.5 gpm @ 60 psi
(Rough sold separately)
Available with T-Lever and Industrial Lever Handles

L. HYDRACHOICE™ SPRAY HEADS WITH H₂OKINETIC® TECHNOLOGY† AND ROUND TRIM
Height: 3 1/2" Width: 3 1/2" Max Flow: 1.5 gpm @ 80 psi
(Rough sold separately)
(listed in order - left to right)

SOOTHING SPRAY HEAD SH84100-GL; T84613-GL
MASSAGING SPRAY HEAD SH84101-GL; T84613-GL
INVIGORATING SPRAY HEAD SH84102-GL; T84613-GL

M. HYDRACHOICE™ TOUCH-CLEAN® SPRAY HEAD† AND ROUND TRIM SH84103-GL; T84613-GL
Height: 3 1/2" Width: 3 1/2" Max Flow: 1.5 gpm @ 80 psi
(Rough sold separately)

N. ROMAN TUB WITH LEVER HANDLES AND HANDSHOWER T67435-GLLHP; HL632-GL
Height: 9 3/8" Reach: 9 1/16" Max Flow: 18.5 gpm @ 60 psi
(Rough sold separately)
Available with T-Lever and Industrial Lever Handles
Available without Handshower



† Available with 1.0 gpm max flow rate.

‡ Available with 2.0 gpm max flow rate.



TEMPASSURE® THERMOSTATIC CUSTOM SHOWER SYSTEM

SHOWN WITH:

4-FUNCTION RAINCAN SHOWERHEAD

WITH H₂OKINETIC® TECHNOLOGY
87435-GL; Jointed Shower Arm
RP81434GL

MULTI-FUNCTION SLIDE BAR
HANDSHOWER WITH WHEEL AND
H₂OKINETIC® TECHNOLOGY
88735-GL

TEMPASSURE® THERMOSTATIC VALVE
WITH INTEGRATED 6-FUNCTION
DIVERTER TRIM AND INDUSTRIAL LEVER
HANDLES T75635-GLLHP; HL7532-GL

HYDRACHOICE™ MAX BODY SPRAY
SYSTEM WITH MASSAGING SPRAY HEAD
SH84101-GL (S2S)
Hydrachoice™ Max Round Trim T84613-GL

View all TempAssure Thermostatic Custom Shower components starting on page 92.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

CEILING MOUNT PENDANT
RAINCAN SHOWERHEAD WITH
H₂OKINETIC® TECHNOLOGY 81335-PN

MULTI-FUNCTION WALL MOUNT
HANDSHOWER WITH H₂OKINETIC®
TECHNOLOGY 88835-PN

4-FUNCTION RAINCAN SHOWERHEAD
WITH H₂OKINETIC® TECHNOLOGY
87435-PN; 7" shower arm RP74751-PN

SENSORI® THERMOSTATIC
VALVE TRIM WITH T-LEVER HANDLE
T66T035; HL6633-PN



SENSORI® VOLUME CONTROL TRIM
WITH T-LEVER HANDLE
T66633-PN

HYDRACHOICE™ MAX BODY SPRAY
SYSTEM WITH INVIGORATING SPRAY
HEAD SH84102-PN
Hydrachoice™ Max Round Trim T84613-PN

View all Sensori Custom Shower components starting on page 96.



ROOK™



THE ROOK™ BATH COLLECTION

CLASSIC. MODERN.
MASTERFUL.*A move ahead.*

Combining a contemporary, masculine edge with nods to early-1900s traditionalism, the Rook Bath Collection by Brizo® is an arresting, modern interpretation of a stately aesthetic. A variety of configurations and finishes make it as stunningly versatile as it is simply stunning, while technologies such as SmartTouchPlus™ mean it's uncommonly forward in its thinking. This is traditional, transformed.



A. SINGLE-HANDLE LAVATORY WITH SMARTTOUCHPLUS™ TECHNOLOGY† 65960LF-NKBL
Max Height: 7 1/4" Reach: 6 3/8" Max Flow: 1.5 gpm @ 60 psi
Available without SmartTouchPlus™ Technology (S2S)
Available with optional escutcheon

B. WIDESPREAD LAVATORY WITH LEVER HANDLES†
65360LF-NKBLLHP; HL5360-NKBL
Height: 4 11/16" Reach: 5 3/4" Max Flow: 1.5 gpm @ 60 psi
Available with Cross Handles
Available with optional escutcheon



C. SINGLE-HANDLE CHANNEL VESSEL LAVATORY†
65461LF-NKBL; Max Height: 13 3/4" Reach: 5 3/8"
Max Flow: 1.5 gpm @ 60 psi (S2S)
Available with optional escutcheon

D. WIDESPREAD CHANNEL LAVATORY WITH CROSS HANDLES† 65361LF-NKBLLHP; HX5361-NKBL
Height: 4 11/16" Reach: 5 3/4" Max Flow: 1.5 gpm @ 60 psi
Available with Lever Handles
Available with optional Lavatory Handle Inserts

E. SINGLE-HANDLE CHANNEL LAVATORY† 65061LF-NKBL
Max Height: 7 1/4" Reach: 5 7/16" Max Flow: 1.5 gpm @ 60 psi
Available with optional escutcheon



F. UNIVERSAL TANK LEVER* 696361-NK

G. BIDET WITH LEVER HANDLES
68460-NKLHP; HL5360-NKBL
Available with Cross Handles

H. 18" TOWEL BAR 691861-NKBL
Available as 24"



I. 8" MINI TOWEL BAR 694761-NKBL



J. DOUBLE ROBE HOOK 693561-NKBL



K. DRAWER PULL 699161-NKBL

L. DRAWER KNOB 699261-NKBL

M. TISSUE HOLDER 695061-NKBL

AVAILABLE FINISHES



POLISHED
CHROME
(PC)



BRILLIANCE®
POLISHED
NICKEL (PN)



BRILLIANCE®
LUXE NICKEL®
(NK)



VENETIAN
BRONZE®
(RB)



BRILLIANCE®
LUXE NICKEL®/
MATTE BLACK (NKBL)



BRILLIANCE®
LUXE
GOLD™ (GL)

* Select models and accessories not available in all finishes.
† Available with 1.2 gpm max flow rate.



ROOK™ TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER
 87461-NKBL; 4-Function Showerhead Max Flow: 2.0 gpm @ 80 psi 7.6 L/min @ 550 kPa; RP78580NK Shower Arm T60061-NKBL TEMPASSURE® Thermostatic Valve Trim; (Rough sold separately)
 RP78581NKBL Tub Spout with Pull-Up Diverter (S2S)
 Available as Shower Only and Valve Only

B. 11" CEILING MOUNT RAINCAN SHOWERHEAD†
 83310-NK 11" showerhead; RP48985NK 6" arm
 Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

C. TEMPASSURE® THERMOSTATIC VALVE WITH INTEGRATED 6-FUNCTION DIVERTER TRIM
 T75661-NKBL (Rough sold separately)
 Available as Integrated 3-Function Diverter Trim

D. 4-FUNCTION RAINCAN SHOWERHEAD
 WITH H₂OKINETIC® TECHNOLOGY 87461-NKBL
 8" showerhead; RP78580NK 7" arm
 Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa (S2S)

E. 9" RAINCAN SHOWERHEAD RP52090-NKBL
 9" showerhead; RP78580NK 7" arm
 Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

F. HYDRACHOICE™ SPRAY HEADS WITH H₂OKINETIC® TECHNOLOGY† AND ROUND TRIM
 Height: 3 1/2" Width: 3 1/2" Max Flow: 1.5 gpm @ 80 psi
 (Rough sold separately)
 (listed in order - top to bottom)
MASSAGING SPRAY HEAD
 SH84101-BL; T84613-NK (S2S)
MASSAGING SPRAY HEAD SH84101-NK; T84613-NK
INVIGORATING SPRAY HEAD SH84102-NK; T84613-NK

G. HYDRACHOICE™ TOUCH-CLEAN® SPRAY HEAD AND ROUND TRIM** SH84103-NK; T84613-NK
 Height: 3 1/2" Width: 3 1/2" Max Flow: 1.5 gpm @ 80 psi
 (Rough sold separately)

H. MULTI-FUNCTION SLIDE BAR HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88761-NKBL
 Bar: 26 3/4" Hose: 60"
 Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

I. MULTI-FUNCTION WALL MOUNT HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88861-NKBL
 Hose: 60" Max Flow: 2.0 gpm @ 80 psi
 7.6 L/min @ 550 kPa (S2S)

J. TRADITIONAL HYDRATI® 2|1 SHOWER WITH H₂OKINETIC® TECHNOLOGY 86200-NKBL
 RP62929NK 7" arm; Hose: 60"
 Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

K. SINGLE-HANDLE FREESTANDING TUB FILLER
 T70161-NKBL; Height: 38 1/4" Reach: 9 3/4"
 Max Flow: 13 gpm @ 60 psi
 (Rough sold separately)

L. ROMAN TUB WITH CROSS HANDLES AND HANDSHOWER T67461-NKBLHP; HX661-NKBL
 Height: 7" Reach: 9 3/4" Max Flow: 12 gpm @ 60 psi
 (Rough sold separately)
 Available with Lever Handles and Optional Lavatory Handle Inserts
 Available without Handshower

M. 24" ADA COMPLIANT TRADITIONAL GRAB BAR*
 69310-NK; Diameter: 1 1/4" Width From Wall: 2 3/4"
 Available as 12"

Coordinating Pressure Balance showers available in select finishes. View Pressure Balance options on page 86.



* Select models and accessories not available in all finishes.

† Available with 1.0 gpm max flow rate.

** Available with 2.0 gpm max flow rate.



TEMPASSURE® THERMOSTATIC CUSTOM SHOWER SYSTEM

SHOWN WITH:

4-FUNCTION RAINCAN SHOWERHEAD
WITH H₂OKINETIC® TECHNOLOGY
87461-NKBL; 7" Shower Arm and Flange
RP78580NK (S2S)

TEMPASSURE® THERMOSTATIC
VALVE TRIM T60061-NKBL (S2S)

6-FUNCTION DIVERTER TRIM
T60961-NKBL (S2S)

MULTI-FUNCTION SLIDE BAR
HANDSHOWER WITH H₂OKINETIC®
TECHNOLOGY 88761-NKBL

HYDRACHOICE™ MAX BODY SPRAY
SYSTEM WITH TOUCH-CLEAN®
SPRAY HEAD* SH84103-NK
HydraChoice™ Max Round Trim T84613-NK

View all TempAssure Thermostatic Custom
Shower components starting on page 92.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

4-FUNCTION RAINCAN SHOWERHEAD
WITH H₂OKINETIC® TECHNOLOGY
87461-PC; 7" Shower Arm and Flange
RP78580PC

11" CEILING MOUNT RAINCAN
SHOWERHEAD 83310-PC
10" Shower Arm and Flange RP48986PC

MULTI-FUNCTION WALL MOUNT
HANDSHOWER WITH H₂OKINETIC®
TECHNOLOGY 88861-PC

SENSORI® THERMOSTATIC
VALVE TRIM - CROSS T66T061-PC

SENSORI® VOLUME CONTROL
TRIM - CROSS T66661-PC

HYDRACHOICE™ MAX BODY SPRAY
SYSTEM WITH MASSAGING
SPRAY HEAD* SH84101-PC
HydraChoice™ Max Round Trim T84613-PC

View all Sensori Custom Shower components
starting on page 96.



RSVP®



THE RSVP® BATH COLLECTION

APPEALING.
ARRESTING. AUSPICIOUS.

A new vision of glamour.

A study in refined glamour, the RSVP Bath Collection by Brizo® combines stately curves and luxurious flourishes. With a full complement of accessories and lighting, including optional finials made with crystals from Swarovski®, RSVP adds new elegance to any bath.



A. WIDESPREAD LAVATORY WITH LEVER HANDLES AND OPTIONAL BLUE GLASS FINIAL†
65390LF-PCLHP; HL5390-PC; RP47958PC
Height: 8" Reach: 5" Max Flow: 1.5 gpm @ 60 psi
Available with Cross Handles
Available with metal or optional Swarovski Crystal Finial

B. WALL MOUNT LAVATORY WITH CROSS HANDLES†
65890LF-PCLHP; HL5890-PC
Reach: 8⁵/₈" Max Flow: 1.5 gpm @ 60 psi
Available with Lever Handles



C. WIDESPREAD VESSEL LAVATORY WITH LEVER HANDLES† 65790LF-PCLHP; HL5790-PC
Height: 12⁷/₈" Reach: 5" Max Flow: 1.5 gpm @ 60 psi
Available with Cross Handles
Available with optional Blue Glass or Swarovski Crystal Finial

D. BIDET WITH LEVER HANDLES
68490-PCLHP; HL5390-PC
Available with Cross Handles

E. DOUBLE ROBE HOOK 69935-PC

F. WALL MIRROR 69980-PC
Size: 23" x 36"

G. 24" DOUBLE TOWEL BAR 69925-PC
(accepts decorative finials)

H. SIDE MOUNT FLUSH LEVER 69962-PC
Available as Front Mount



I. SINGLE LIGHT FIXTURE 69970-PC
Height: 13"

J. 18" TOWEL BAR 69918-PC (accepts decorative finials)
Available as 24"

K. TISSUE PAPER HOLDER 69950-PC

L. 8" MINI TOWEL BAR 69947-PC
(accepts decorative finials)

M. OPTIONAL SWAROVSKI CRYSTAL FINIAL
(available for lavatory, roman tub & select accessories)



AVAILABLE FINISHES



POLISHED CHROME (PC)



BRILLIANCE® BRUSHED NICKEL (BN)

Not available on Blue Glass Finial



† Available with 1.2 gpm max flow rate.

Swarovski is a registered trademark of Swarovski AG.

RSVP® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60490-PC; Showerhead Max Flow: 2.5 gpm @ 80 psi
(Rough sold separately)

Available as Shower Only and Valve Only

B. PRESSURE BALANCE TUB/SHOWER

T60P490-PC; Showerhead Max Flow: 2.0 gpm @ 80 psi
(Rough sold separately)

Available as Shower Only

C. CEILING MOUNT RAINCAN SHOWERHEAD

RP48043PC 11" x 7" showerhead; RP48985PC 6" arm
Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

D. MULTI-FUNCTION WALL MOUNT SHOWERHEAD

RP48041PC 5 7/8" x 3 7/8" showerhead; RP48040PC
6 3/4" arm; Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

E. SLIDE BAR HANDSHOWER 89710-PC

Bar: 34" Hose: 60"
Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

F. TRANSITIONAL HYDRATI® 2|1 SHOWER WITH

H₂OKINETIC® TECHNOLOGY 86201-PC
RP71649PC 7" arm; Hose: 60"
Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

G. RAINCAN SHOWERHEAD WITH H₂OKINETIC®

TECHNOLOGY 87390-PC
5 1/4" showerhead; RP62603PC 7" arm
Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

H. HYDRACHOICE™ SPRAY HEADS WITH

H₂OKINETIC® TECHNOLOGY† AND ROUND TRIM
Height: 3 1/2" Width: 3 1/2" Max Flow: 1.5 gpm @ 80 psi
(Rough sold separately)

(listed in order - top to bottom)

SOOTHING SPRAY HEAD SH84100-PC; T84613-PC

MASSAGING SPRAY HEAD SH84101-PC; T84613-PC

INVIGORATING SPRAY HEAD SH84102-PC; T84613-PC

I. HYDRACHOICE™ TOUCH-CLEAN® SPRAY HEAD†

AND ROUND TRIM SH84103-PC; T84613-PC
Height: 3 1/2" Width: 3 1/2" Max Flow: 1.5 gpm @ 80 psi
(Rough sold separately)

J. ROMAN TUB WITH CROSS HANDLES AND

HANDSHOWER T67490-PCLHP; HX790-PC
Height: 9 3/4" Reach: 9 3/4" Max Flow: 18.5 gpm @ 60 psi
(Rough sold separately)

Available with Lever Handles and optional Blue Glass or
Swarovski Crystal Finial

Available without Handshower

K. 24" ADA COMPLIANT CONTEMPORARY GRAB BAR*

69375-PC; Diameter: 1 1/4" Width from Wall: 2 3/4"
Available as 12"



* Select models and accessories not available in all finishes.

† Available with 1.0 gpm max flow rate.



TEMPASSURE® THERMOSTATIC CUSTOM SHOWER SYSTEM

SHOWN WITH:

MULTI-FUNCTION WALL MOUNT
SHOWERHEAD RP48041BN; Wall
Mount Shower Arm RP48040BN

SLIDE BAR HANDSHOWER 89710-BN

6-FUNCTION DIVERTER TRIM
T60990-BN

TEMPASSURE® THERMOSTATIC
VALVE TRIM T60090-BN

TOUCH-CLEAN® BODY SPRAYS
84110-BN

View all TempAssure Thermostatic Custom
Shower components starting on page 92.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

CEILING MOUNT RAINCAN
SHOWERHEAD RP48043PC
10" Ceiling Mount Shower Arm and Flange
RP48986PC

MULTI-FUNCTION WALL MOUNT
SHOWERHEAD RP48041PC
Wall Mount Shower Arm RP48040PC

SENSORI® VOLUME CONTROL
TRIM - LEVER T66690-PC

SENSORI® THERMOSTATIC VALVE
TRIM - LEVER T66T090-PC


SLIDE BAR HANDSHOWER 89710-PC

HYDRACHOICE™ MAX BODY SPRAY
SYSTEM WITH MASSAGING SPRAY
HEAD SH84101-PC
Hydrachoice™ Max Round Trim T84613-PC

View all Sensori Custom Shower components
starting on page 96.



SIDERNA®




THE SIDERNA® BATH COLLECTION

SEAMLESS. DARING.
DYNAMIC.


A study in contrast.

Combining geometric structure with natural inspiration, the Siderna Bath Collection by Brizo® represents the merging of two very different worlds. Its soft, flowing curves mimic the movement of cascading waterfalls, while its stark, crisp lines evoke modern sophistication.



A. WIDESPREAD LAVATORY WITH GREEN GLASS ACCENT HANDLES† 65380LF-PCLHP; HL5381-PC
Height: 8½" Reach: 6" Max Flow: 1.5 gpm @ 60 psi
Available with All Metal and Solar Gray Glass Accent Handles

B. SINGLE-HANDLE VESSEL LAVATORY† 65480LF-PC
Height: 12¼" Reach: 5" Max Flow: 1.5 gpm @ 60 psi



C. WALL MOUNT LAVATORY WITH SOLAR GRAY GLASS ACCENT HANDLES† 65880LF-PCLHP; HL5382-PC
Reach: 8¾" Max Flow: 1.5 gpm @ 60 psi
Available with All Metal and Green Glass Accent Handles

D. ROBE HOOKS-PAIR 693580-PC



E. BIDET WITH ALL METAL HANDLES 68480-PCLHP; HL5380-PC
Available with Green Glass and Solar Gray Glass Accent Handles

F. SINGLE-HANDLE LAVATORY 65080LF-PC
Height: 8¾" Reach: 5" Flow: 1.5 gpm @ 60 psi

G. TOWEL RING 694680-PC



H. TISSUE HOLDER 695080-PC

I. 18" TOWEL BAR 691880-PC
Available as 24"



J. FRONT MOUNT FLUSH LEVER 696080-PC
Available as Side Mount

AVAILABLE FINISHES



POLISHED CHROME (PC)



BRILLIANCE® BRUSHED NICKEL (BN)



MATTE BLACK (BL)

† Available with 1.2 gpm max flow rate.

SIDERNA® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60480-PC; Showerhead Max Flow: 2.5 gpm @ 80 psi;
(Rough sold separately)
Available as Shower Only and Valve Only

B. SQUARE CEILING MOUNT RAINCAN SHOWERHEAD†

83341-PC 8 5/8" x 5 3/4" showerhead; RP70764PC 6" arm
Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

C. RECTANGULAR RAINCAN SHOWERHEAD

81380-PC 8 5/8" x 5 3/4" showerhead; RP70764PC 6" arm
Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

D. SQUARE RAINCAN SHOWERHEAD WITH

H₂OKINETIC® TECHNOLOGY 87380-PC
5 3/8" showerhead; RP74448PC 7" arm
Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

E. PRESSURE BALANCE VALVE TRIM T60P080-PC

(Rough sold separately)

F. HYDRACHOICE™ TOUCH-CLEAN® SPRAY HEAD†

AND SQUARE TRIM SH84103-PC; T84913-PC
Height: 3 1/2" Width: 3 1/2" Max Flow: 1.5 gpm @ 80 psi
(Rough sold separately)

G. WALL MOUNT HANDSHOWER 85880-PC

Hose: 60"; Max Flow: 2.0 gpm @ 80 psi
7.6 L/min @ 550 kPa

H. SLIDE BAR HANDSHOWER 85780-PC

Bar: 25" Hose: 60"
Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

I. EURO SQUARE HYDRATI® 2|1 SHOWER WITH

H₂OKINETIC® TECHNOLOGY‡ 86280-PC
RP74448PC 7" arm; Hose: 60"
Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

J. HYDRACHOICE™ SPRAY HEADS WITH

H₂OKINETIC® TECHNOLOGY† AND SQUARE TRIM
Height: 3 1/2" Width: 3 1/2" Max Flow: 1.5 gpm @ 80 psi
(Rough sold separately)

(listed in order - top to bottom)

SOOTHING SPRAY HEAD SH84100-PC; T84913-PC

MASSAGING SPRAY HEAD SH84101-PC; T84913-PC

INVIGORATING SPRAY HEAD SH84102-PC; T84913-PC

K. ROMAN TUB WITH GREEN GLASS ACCENT HANDLES

AND HANDSHOWER T67480-PCLHP; HL681-PC
Height: 9 3/4" Reach: 10 15/16" Max Flow: 18.0 gpm @ 60 psi
(Rough sold separately)


Available with All Metal and Solar Gray Glass Accent Handles
Available without Handshower

L. SINGLE-HANDLE FREESTANDING TUB FILLER

T70180-PC; Height: 40 1/2" Reach: 9 5/16"
Max Flow: 14.5 gpm @ 60 psi
(Rough sold separately)

M. 24" ADA COMPLIANT CONTEMPORARY GRAB BAR*

69375-PC; Diameter: 1 1/4" Width from Wall: 2 3/4"
Available as 12"



* Select models and accessories not available in all finishes.

† Available with 1.0 gpm max flow rate.

‡ Available with 2.0 gpm max flow rate.



TEMPASSURE® THERMOSTATIC CUSTOM SHOWER SYSTEM

SHOWN WITH:

RECTANGULAR RAINCAN
SHOWERHEAD 81380-BL
10" Shower Arm and Flange RP70765BL

SQUARE RAINCAN SHOWERHEAD
WITH H₂OKINETIC® TECHNOLOGY
87380-BL; 16" Shower Arm and Flange
RP71650BL

SLIDE BAR HANDSHOWER
85780-BL

6-FUNCTION DIVERTER TRIM
T60980-BL

TEMPASSURE® THERMOSTATIC
VALVE TRIM T60080-BL

HYDRACHOICE™ MAX BODY SPRAY
SYSTEM WITH MASSAGING SPRAY
HEAD SH84101-BL
Hydrachoice™ Max Square Trim T84913-BL

View all TempAssure Thermostatic Custom
Shower components starting on page 92.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

RECTANGULAR RAINCAN
SHOWERHEAD 81380-BN
6" Ceiling Mount Shower Arm and Flange
RP70764BN

SQUARE RAINCAN SHOWERHEAD
WITH H₂OKINETIC® TECHNOLOGY
87380-BN; 7" Shower Arm and Flange
RP74448BN

TOUCH-CLEAN® BODY SPRAYS
84110-BN
Available as square Touch-Clean Body Sprays

SENSORI® VOLUME CONTROL TRIM
T66680-BN

SENSORI® THERMOSTATIC VALVE TRIM
T66T080-BN

View all Sensori Custom Shower components
starting on page 96.



SOTRIA®



THE SOTRIA® BATH COLLECTION

UNIQUE. STREAMLINED. SUBLIME. *A new kind of jet set.*

Encapsulated in the silhouette of the striking Sotria bath collection by Brizo® is a myriad of influences: airplanes, automobile tail fins and the optimism of mid-century America. Its triangular spout architecture is echoed across a range of configurations and complimented by signature features, including closed and channel spout lavatory faucets, a freestanding tub filler, and a multi-function showerhead with exclusive H₂Okinetic® Technology.



- A. CLOSED SPOUT WIDESPREAD LAVATORY
65350LF-PN; Height: 5¹³/₃₂" Reach: 5³/₄"
Max Flow: 1.5 gpm @ 60 psi (S2S)
- B. CHANNEL SPOUT WALL MOUNT LAVATORY
T65851LF-PN; Reach: 8⁷/₁₆"
Max Flow: 1.5 gpm @ 60 psi; Rough R65800
- C. CLOSED SPOUT SINGLE-HANDLE LAVATORY
65050LF-PN; Height: 5⁵/₈" Reach: 4⁵⁵/₆₄"
Max Flow: 1.5 gpm @ 60 psi (S2S)
- D. CHANNEL SPOUT SINGLE-HANDLE LAVATORY
65051LF-PN; Height: 5²¹/₆₄" Reach: 5¹⁹/₃₂"
Max Flow: 1.5 gpm @ 60 psi
- E. CHANNEL SPOUT WIDESPREAD LAVATORY
65351LF-PN; Height: 5²¹/₆₄" Reach: 5²¹/₃₂"
Max Flow: 1.5 gpm @ 60 psi
- F. BIDET HEALTH FAUCET WITH HOSE & BRACKET
BZO-22900-I-PN
- G. 18" TOWEL BAR 691850-PN
24" TOWEL BAR (not shown) 692450-PN
- H. 8" MINI TOWEL BAR 694750-PN
- I. UNIVERSAL FLUSH LEVER 696050-PN
- J. TISSUE HOLDER 695050-PN
- K. 24" DOUBLE TOWEL SHELF BZO-IAO20130-PN (S2S)
- L. ANGLE VALVE BZO-22900H-COMPEL-PN
- M. DOUBLE ROBE HOOK 693550-PN (S2S)

AVAILABLE FINISHES



SOTRIA® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

87450-PC; 5-Function Raincan Showerhead with H₂Okinetic® Technology; RP75722PC Shower Arm; T60050-PC

TEMPASSURE® THERMOSTATIC VALVE TRIM;

R60000-UNBX MultiChoice® High Flow Universal Rough; RP74644PC Tub Spout with Pull-Up Diverter

B. TEMPASSURE® THERMOSTATIC TUB/SHOWER

87450-PN; 5-Function Raincan Showerhead with H₂Okinetic® Technology; RP75722PN Shower Arm; T60050-PN (S2S)

TEMPASSURE® THERMOSTATIC VALVE TRIM;

R60000-UNBX MultiChoice® High Flow Universal Rough; RP74644PN Tub Spout with Pull-Up Diverter

C. 5-FUNCTION RAINCAN SHOWERHEAD

WITH H₂O KINETIC® TECHNOLOGY 87450-PN (S2S)

5 7/8" showerhead; RP75722PN arm

Max Flow: 2.0 gpm @ 80 psi, 7.6 L /min @ 550 kPa

D. CEILING MOUNT RAINCAN SHOWERHEAD

WITH H₂O KINETIC® TECHNOLOGY 81350-PN

10 3/8" showerhead; RP48985PN 6" arm

Max Flow: 2.5 gpm @ 80 psi, 9.5 L /min @ 550 kPa

E. SLIDE BAR HANDSHOWER WITH

H₂O KINETIC® TECHNOLOGY 88750-PC

Bar: 18 3/8"; Hose: 60"

Max Flow: 2.0 gpm @ 80 psi, 7.6 L /min @ 550 kPa

F. WALL MOUNT HANDSHOWER WITH

H₂O KINETIC® TECHNOLOGY 88850-PN; Hose: 60"

Max Flow: 2.0 gpm @ 80 psi, 7.6 L /min @ 550 kPa (S2S)

G. EURO ROUND HYDRATI® 2|1 SHOWER WITH

H₂O KINETIC® TECHNOLOGY 86275-PN

RP74751PN 7" arm; Hose: 60"

Max Flow: 2.5 gpm @ 80 psi, 9.5 L /min @ 550 kPa

H. SOOTHING HYDRACHOICE™ SPRAY HEAD WITH

H₂O KINETIC® TECHNOLOGY SH84100-PN; T84613-PN

Height: 3 1/2" Width: 3 1/2" Max Flow: 1.5 gpm @ 80 psi

Hydrachoice™ Rough R84100

I. MASSAGING HYDRACHOICE™ SPRAY HEAD WITH

H₂O KINETIC® TECHNOLOGY

SH84101-PN; T84613-PN (S2S)

Height: 3 1/2" Width: 3 1/2" Max Flow: 1.5 gpm @ 80 psi

Hydrachoice™ Rough R84100

J. TOUCH-CLEAN® HYDRACHOICE™ SPRAY HEAD

SH84103-PN; T84613-PN

Height: 3 1/2" Width: 3 1/2" Max Flow: 1.5 gpm @ 80 psi

Hydrachoice™ Rough R84100

K. INVIGORATING HYDRACHOICE™ SPRAY HEAD WITH

H₂O KINETIC® TECHNOLOGY SH84102-PN; T84613-PN

Height: 3 1/2" Width: 3 1/2" Max Flow: 1.5 gpm @ 80 psi

Hydrachoice™ Rough R84100

L. SINGLE-HANDLE FREESTANDING TUB FILLER

T70150-PN; Height: 39" Reach: 11 1/16" (S2S)

Max Flow: 14.5 gpm @ 60 psi

Single-Handle Freestanding Tub Filler Rough R70100

(Rough also available with stops R70100-W5)

M. SHOWERHEAD WITH H₂O KINETIC

BZO-IS6504-H2O-PN (S2S)

Width: 14" Max Flow: 5.3 gpm @ 80 psi

SHOWER ARM (not shown) RP48985PN

N. SHOWERHEAD WITH H₂O KINETIC

BZO-IS6503-H2O-PN (S2S)

Width: 14" Max Flow: 5.3 gpm @ 80 psi

SHOWER ARM (not shown) RP48985PN



**Select models and accessories not available in all finishes.

† Available with 1.0 gpm max flow rate.



TEMPASSURE® THERMOSTATIC CUSTOM SHOWER SYSTEM

SHOWN WITH:

5-FUNCTION RAINCAN SHOWERHEAD
WITH H₂OKINETIC® TECHNOLOGY
87450-BL; Wall Mount Shower Arm
RP75722BL

SLIDE BAR HANDSHOWER WITH
H₂OKINETIC® TECHNOLOGY 88750-BL

6-FUNCTION DIVERTER TRIM
T60950-BL

TEMPASSURE® THERMOSTATIC
VALVE TRIM T60050-BL

TOUCH-CLEAN® BODY SPRAYS
84110-BL

View all TempAssure Thermostatic Custom
Shower components starting on page 92.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

RAINCAN SHOWERHEAD WITH
H₂OKINETIC® TECHNOLOGY 81350-PN
6" Ceiling Mount Shower Arm and Flange
RP48985PN

5-FUNCTION RAINCAN SHOWERHEAD
WITH H₂OKINETIC® TECHNOLOGY
87450-PN; Wall Mount Shower Arm
RP75722PN (S2S)

WALL MOUNT HANDSHOWER WITH
H₂OKINETIC® TECHNOLOGY 88850-PN
(S2S)

SENSORI® VOLUME CONTROL TRIM
T66650-PN (S2S)

SENSORI® THERMOSTATIC VALVE TRIM
T667050-PN (S2S)


HYDRACHOICE™ MAX BODY SPRAY
SYSTEM WITH TOUCH-CLEAN®
SPRAY HEAD SH84103-PN
HydraChoice™ Max Round Trim T84613-PN

HYDRACHOICE™ MAX BODY SPRAY
SYSTEM WITH MASSAGING SPRAY
HEAD SH84101-PN
HydraChoice™ Max Round Trim T84613-PN
(S2S)

View all Sensori Custom Shower components
starting on page 96.



VETTIS™



THE VETTIS™ BATH COLLECTION

STRONG. CASCADING. RESOLUTE. *A solid foundation.*

The Vettis Bath Collection by Brizo® combines a solid form with the sensory experience of a waterfall to create a truly contemporary centerpiece. The unprecedented water delivery system pairs flawlessly with the faucet's geometric form to embody the strength of nature.



A. SINGLE-HANDLE LAVATORY FAUCET WITH OPEN FLOW SPOUT IN **BRILLIANCE® LUXE NICKEL®** WITH POLISHED CHROME 65086LF-NKPC-ECO
Max Flow: 1.2 gpm @ 60 psi

B. SINGLE-HANDLE LAVATORY FAUCET 65830LF-PN
Max Flow: 1.5 gpm @ 60 psi; 65088LF-NK
Max Flow: 1.2 gpm @ 60 psi; 65088LF-NK-ECO



C. WIDESPREAD LAVATORY FAUCET WITH OPEN FLOW SPOUT 65386LF-NKPC-ECO
Max Flow: 1.2 gpm @ 60 psi

D. TWO-HANDLE WALL MOUNT LAVATORY FAUCET WITH OPEN-FLOW SPOUT T65886LF-NKPC-ECO
Max Flow: 1.5 gpm @ 60 psi
(*Rough R65800 sold separately*)



E. 30" TOWEL BAR 693088-NK

F. 8" MINI TOWEL BAR 694788-NK

G. TISSUE HOLDER WITH OPTIONAL SPARE TISSUE HOLDER 695088-NK
OPTIONAL SPARE TISSUE HOLDER RP90246NK



H. DOUBLE ROBE HOOK 693588-NK

I. DRAWER KNOB 699288-PN

J. DRAWER PULL 699188-PN

AVAILABLE FINISHES



POLISHED CHROME (PC)



BRILLIANCE® LUXE NICKEL® (NK)



BRILLIANCE® LUXE NICKEL®/ POLISHED CHROME (NKPC)



MATTE BLACK (BL)

Only available on open-flow lavatory faucets

† Available with 1.2 gpm max flow rate.

THE VETTIS™ BATH COLLECTION

L. SINGLE-HANDLE FLOOR MOUNT TUB FILLER
T70188-NK; Max Flow: 14.5 gpm @ 60 psi
(Rough sold separately)

M. TWO-HANDLE WALL MOUNT TUB FILLER
T70488-NK; Max Flow: 10.0 gpm @ 60 psi
(Rough sold separately)

N. ROMAN TUB FAUCET WITH HANDSHOWER
T67488-NK; Max Flow: 12.0 gpm @ 60 psi
(Rough sold separately)

O. TEMPASSURE® THERMOSTATIC VALVE WITH INTEGRATED 6-FUNCTION DIVERTER TRIM
T75688-NK
(Rough sold separately)

P. TEMPASSURE® THERMOSTATIC VALVE ONLY TRIM
T60088-NK
(Rough sold separately)

Q. DIVERTER TUB SPOUT RP90568-NK

R. SENSORI® THERMOSTATIC VALVE TRIM T66T088-NK
(Rough sold separately)

S. SENSORI® VOLUME CONTROL TRIM T66688-NK
(Rough sold separately)


T. SQUARE RAINCAN SHOWERHEAD WITH 10" CEILING MOUNT SHOWER ARM AND FLANGE
Max Flow: 2.5 gpm @ 80 psi: 83341-NK-2.5
Max Flow: 1.75 gpm @ 80 psi: 83341-NK-2.5
10" Ceiling Mount Shower Arm and Flange: RP70765NK

U. H₂OKINETIC® SQUARE MULTI-FUNCTION SHOWERHEAD WITH 13" SHOWER ARM AND FLANGE
Max Flow: 1.75 gpm @ 80 psi: 87488-NK
13" Shower Arm and Flange: RP90243NK

V. HYDRACHOICE MAX® BODY SPRAY SYSTEM
Square Trim: Max Flow: 1.5 gpm @ 80 psi: T84913-NK
Max Flow: 1.0 gpm @ 80 psi: T84913-NK; RP82501
Diameter: 3 1/2"
H₂OKINETIC® SOOTHING SPRAY HEAD
SH84100-NK
H₂OKINETIC® MASSAGING SPRAY HEAD
SH84101-NK
H₂OKINETIC® INVIGORATING SPRAY HEAD
SH84102-NK
TOUCH-CLEAN® SPRAY HEAD
SH84103-NK
(Rough sold separately)

W. H₂OKINETIC® MULTI-FUNCTION WALL MOUNT HANDSHOWER
Max Flow: 1.75 gpm @ 80 psi: 88888-NK

X. H₂OKINETIC® EURO SQUARE HYDRATI® 2|1 SHOWER WITH 7" SHOWER ARM AND FLANGE
Max Flow: 2.5 gpm @ 80 psi: 86280-NK-2.5
Max Flow: 1.75 gpm @ 80 psi: 86280-NK





TEMPASSURE® THERMOSTATIC CUSTOM SHOWER SYSTEM

SHOWN WITH:

RAINCAN SHOWERHEAD WITH
H₂O KINETIC® TECHNOLOGY 87330-PC
5 1/2" Shower Arm and Flange RP62603PC

SLIDE BAR HANDSHOWER
85730-PC

6-FUNCTION DIVERTER TRIM
T60930-PC

TEMPASSURE® THERMOSTATIC
VALVE TRIM T60030-PC

HYDRACHOICE™ MAX BODY SPRAY
SYSTEM WITH MASSAGING SPRAY
HEAD SH84101-PC
Hydrachoice™ Max Square Trim T84913-PC

HYDRACHOICE™ MAX BODY SPRAY
SYSTEM WITH INVIGORATING SPRAY
HEAD SH84102-PC
Hydrachoice™ Max Square Trim T84913-PC

View all TempAssure Thermostatic Custom
Shower components starting on page 92.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

CEILING MOUNT RAINCAN
SHOWERHEAD WITH H₂O KINETIC®
TECHNOLOGY 81330-PN
6" Ceiling Mount Shower Arm and Flange
RP48985PN (S2S)

RAINCAN SHOWERHEAD WITH
H₂O KINETIC® TECHNOLOGY 87330-PN
Wall Mount Shower Arm RP62603PN
(S2S)

TOUCH-CLEAN® BODY SPRAYS
84110-PN
Available as square Touch-Clean Body Sprays


SENSORI® THERMOSTATIC
VALVE TRIM T66T030-PN (S2S)

SENSORI® VOLUME CONTROL TRIM
T66630-PN (S2S)

View all Sensori Custom Shower components
starting on page 97.



VIRAGE®



THE VIRAGE® BATH COLLECTION

DIFFERENT. SURPRISING. DRAMATIC. *A simple twist.*

The twists and flourishes of Old World wrought iron find bold new expression in the Virage bath collection by Brizo®. Combining modern sophistication with hints of art deco styling, Virage is a uniquely elegant form that adapts to almost any environment.



- A. WIDESPREAD LAVATORY 65330LF-PN (S2S)
Height: 7^{27/32}" Reach: 5^{9/16}" Max Flow: 1.5 gpm @ 60 psi
- B. WALL MOUNT LAVATORY 65830LF-PN (S2S)
Reach: 8^{1/2}" Max Flow: 1.5 gpm @ 60 psi
- C. WIDESPREAD VESSEL LAVATORY 65430LF-PN
Height: 12^{11/32}" Reach: 5^{9/16}"
Max Flow: 1.5 gpm @ 60 psi
- D. BIDET 65030LF-PN; (S2S)
Height: 8^{1/16}" Reach: 5^{5/8}"
Max Flow: 1.5 gpm @ 60 psi
- E. ROBE HOOK 693530-PN (S2S)
- F. FRONT MOUNT FLUSH LEVER 696030-PN
SIDE MOUNT FLUSH LEVER (not shown) 696230-PN
- G. TISSUE HOLDER 695030-PN (S2S)
- H. 18" TOWEL BAR 691830-PN
24" TOWEL BAR (not shown) 692430-PN
- I. WALL MIRROR 20" x 30" 698030-PN (S2S)
- J. TOWEL RING 694630-PN (S2S)
- K. SINGLE LIGHT SCONCE 10^{7/8}" HIGH 697030-PN (S2S)

AVAILABLE FINISHES



-  POLISHED CHROME (PC)
-  BRILLIANCE® POLISHED NICKEL (PN)
-  BRILLIANCE® BRUSHED NICKEL (BN)
-  BRILLIANCE® BRUSHED BRONZE (BZ)
-  VENETIAN BRONZE® (RB)
-  BRILLIANCE® LUXE GOLD™ (GL)

† Available with 1.2 gpm max flow rate.

VIRAGE® TUB & SHOWER

A. RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87330-PN
 RP62603PN Shower Arm
TEMPASSURE® THERMOSTATIC VALVE TRIM
 T60030-PN; R60000-UNBX MultiChoice® (S2S)
 High Flow Universal Rough; RP62605PN Tub Spout with Pull-Down Diverter

B. VESI PRESSURE BALANCE TUB/SHOWER*
 T60P440-BN; Showerhead Max Flow: 2.0 gpm @ 80 psi
 MultiChoice® Universal Rough R60000-UNBX
VESI PRESSURE BALANCE SHOWER ONLY*
 (not shown) T60P240-BN; R60000-UNBX

C. CEILING MOUNT RAINCAN SHOWERHEAD 81330-PN
 8" showerhead; RP70764PN 6" arm
 Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa (S2S)

D. RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87330-PN (S2S)
 6" showerhead; RP62603PN 6" arm
 Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

E. SLIDE BAR HANDSHOWER 85730-PN
 Bar: 24"; Hose: 60"
 Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

F. WALL MOUNT HANDSHOWER 85830-PN (S2S)
 Hose: 60"; Max Flow: 2.0 gpm @ 80 psi
 7.6 L/min @ 550 kPa

G. TRANSITIONAL HYDRATI™ 2|1 SHOWER WITH H₂OKINETIC® TECHNOLOGY 86201-PN
 RP71649PN 7" arm; Hose: 60"
 Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

H. SOOTHING HYDRACHOICE™ SPRAY HEAD WITH H₂OKINETIC® TECHNOLOGY SH84100-PN; T84913-PN
 Height: 3 1/2" Width: 3 1/2" Max Flow: 1.5 gpm @ 80 psi
 Hydrachoice™ Rough R84100

I. MASSAGING HYDRACHOICE™ SPRAY HEAD WITH H₂OKINETIC® TECHNOLOGY
 SH84101-PN; T84913-PN (S2S)
 Height: 3 1/2" Width: 3 1/2" Max Flow: 1.5 gpm @ 80 psi
 Hydrachoice™ Rough R84100

J. TOUCH-CLEAN® HYDRACHOICE™ SPRAY HEAD
 SH84103-PN; T84913-PN
 Height: 3 1/2" Width: 3 1/2" Max Flow: 1.5 gpm @ 80 psi
 Hydrachoice™ Rough R84100

K. INVIGORATING HYDRACHOICE™ SPRAY HEAD WITH H₂OKINETIC® TECHNOLOGY SH84102-PN; T84913-PN
 Height: 3 1/2" Width: 3 1/2" Max Flow: 1.5 gpm @ 80 psi
 Hydrachoice™ Rough R84100

L. ROMAN TUB WITH HANDSHOWER T67430-PN
 Height: 9 5/16" Reach: 8 27/32" Max Flow: 18.5 gpm @ 60 psi
 4-hole rough R64707
ROMAN TUB (not shown) T67330-PN
 3-hole rough R62707

M. SINGLE-HANDLE FREESTANDING TUB FILLER
 T70130-PN; Height: 40 1/2" Reach: 9 3/8"
 Max Flow: 14.5 gpm @ 60 psi
 Single-Handle Freestanding Tub Filler Rough R70100
 (Rough also available with stops R70100-WS)

N. 24" ADA COMPLIANT TRADITIONAL GRAB BAR*
 69310-PN; Diameter: 1 1/4" Width From Wall: 2 3/4"
12" ADA COMPLIANT TRADITIONAL GRAB BAR*
 (not shown) 69210-PN



*Select models and accessories not available in all finishes.



TEMPASSURE® THERMOSTATIC CUSTOM SHOWER SYSTEM

SHOWN WITH:

RAINCAN SHOWERHEAD WITH
H₂O KINETIC® TECHNOLOGY 87330-PC
5 1/2" Shower Arm and Flange RP62603PC

SLIDE BAR HANDSHOWER
85730-PC

6-FUNCTION DIVERTER TRIM
T60930-PC

TEMPASSURE® THERMOSTATIC
VALVE TRIM T60030-PC

HYDRACHOICE™ MAX BODY SPRAY
SYSTEM WITH MASSAGING SPRAY
HEAD SH84101-PC
Hydrachoice™ Max Square Trim T84913-PC

HYDRACHOICE™ MAX BODY SPRAY
SYSTEM WITH INVIGORATING SPRAY
HEAD SH84102-PC
Hydrachoice™ Max Square Trim T84913-PC

View all TempAssure Thermostatic Custom
Shower components starting on page 92.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

CEILING MOUNT RAINCAN
SHOWERHEAD WITH H₂O KINETIC®
TECHNOLOGY 81330-PN
6" Ceiling Mount Shower Arm and Flange
RP48985PN (S2S)

RAINCAN SHOWERHEAD WITH
H₂O KINETIC® TECHNOLOGY 87330-PN
Wall Mount Shower Arm RP62603PN
(S2S)

TOUCH-CLEAN® BODY SPRAYS
84110-PN
Available as square Touch-Clean Body Sprays

SENSORI® THERMOSTATIC
VALVE TRIM T66T030-PN (S2S)

SENSORI® VOLUME CONTROL TRIM
T66630-PN (S2S)

View all Sensori Custom Shower components
starting on page 96.





SHOWER

Ultimate
SERENITY

The shower is a personal retreat, a tranquil sanctuary, an extension of your complete bath experience.

To that end, Brizo® provides a full range of custom shower systems and à la carte handshowers, showerheads and body sprays—so you can create your ideal space.






PRESSURE BALANCE SHOWERS

A semi-customizable shower experience keeps simplicity in mind.

- Single-handle to turn water on/off and control temperature
- Single-function cartridge
- Max flow rate 7.4 gpm, 28.0 L/min*

[VIEW PRESSURE BALANCE OPTIONS](#) | PG 90



TEMPASSURE® THERMOSTATIC SHOWERS

More control means more possibilities with a semi-customizable thermostatic shower.

- Two handles for independent volume and temperature control
- Set desired water temperature once and return to it with every shower.
- Dual-function cartridge
- Max flow rate 8.6 gpm, 32.6 L/min*

[VIEW TEMPASSURE OPTIONS](#) | PG 92



SENSORI® SHOWERS

A completely customizable, completely indulgent shower experience.

- Separate volume controls for each component
- Max flow rate 12.0 gpm, 45.4 L/min*

[VIEW SENSORI OPTIONS](#) | PG 96

* For complete flow rate information see page 85




H₂Okinetic[®]
TECHNOLOGY


*A better shower experience.
While using less water.*

By controlling water's shape, velocity and thermal dynamics, we've reinvented how you shower—creating a warmer, more luxurious spray that gives the feeling of a high-flow shower with a fraction of the water.

Available on Showerheads, Handshowers and Body Sprays.




This unique shower experience is created by harnessing the natural energy of water and directing it through hundreds of specially-engineered chambers in the showerhead.




Each channel is designed to create a vortex that oscillates water and sculpts it as it exits into a wave pattern that provides a dense, concentrated spray—to give the feeling of an indulgent shower, without wasting water.


H₂OKINETIC® TECHNOLOGY RESULTS IN:




1 LARGER DROPLET SIZE
Larger water droplets offer a more massaging shower.



2 LARGER SPRAY COVERAGE
A dense shower spray offers a more drenching blanket of water coverage.



3 THERMAL DYNAMICS
Larger water drops and a dense spray pattern result in a warmer, more consistent shower experience.



4 CONSISTENT PRESSURE
While standard showerheads begin losing water pressure at 70 psi, H₂Ok kinetic showerheads maintain pressure up to 20 psi.

Choose your level of LUXURY

Choosing a rough is the first step to getting the indulgent shower you are looking for. Use your desired experience and the Maximum Flow Rate Guide on the following page to determine the appropriate rough for your shower.



MultiChoice® Universal Rough

Once a MultiChoice® rough is installed, it is easy to upgrade the shower experience or update its style at any time, without having to go behind the wall. This means you can change your mind, change the style, or simply change it all.
(rough sold separately)




MultiChoice® Universal Integrated Thermostatic Shower Diverter Rough

A sleek, streamlined option that provides the same flexibility as the MultiChoice® Universal Rough, but with the added convenience of not requiring a separate diverter.
(rough sold separately)



Sensori® Thermostatic Rough

A Sensori Thermostatic rough is key to our most luxurious shower for a completely customizable experience.
(rough sold separately)



MAXIMUM FLOW RATE GUIDE

PRESSURE BALANCE CARTRIDGE			
MULTICHOICE® UNIVERSAL ROUGH	40 PSI, 275 kPa Shower Port	60 PSI, 414 kPa Shower Port	80 PSI, 550 kPa Shower Port
R60000-UNBX	4.6 gpm, 17.4 L/min	5.8 gpm, 22.0 L/min	6.8 gpm, 25.7 L/min
R60000-UNWS	4.5 gpm, 17.0 L/min	5.6 gpm, 21.2 L/min	6.5 gpm, 24.6 L/min
R60000-UNBXHF (High Flow)	5.9 gpm, 22.3 L/min	7.4 gpm, 28.0 L/min	8.7 gpm, 33.0 L/min
R60000-UNWSHF (High Flow)	5.3 gpm, 20.0 L/min	6.6 gpm, 25.0 L/min	7.7 gpm, 29.1 L/min

NOTES: R60000-UNBXHF and R60000-UNWSHF roughs for use with Custom Shower and Shower only applications. Must use R60000-UNBX or R60000-UNWS for Tub/Shower or Tub only applications. Adding a separate 3 or 6 function diverter will reduce flow rates. Flow rates vary by shower component. Other installation factors could impact maximum flow rate.

TEMPASSURE® THERMOSTATIC CARTRIDGE			
MULTICHOICE® UNIVERSAL ROUGH	40 PSI, 275 kPa Shower Port	60 PSI, 414 kPa Shower Port	80 PSI, 550 kPa Shower Port
R60000-UNBX	5.6 gpm, 21.2 L/min	7.3 gpm, 27.6 L/min	8.5 gpm, 32.2 L/min
R60000-UNWS	5.4 gpm, 20.4 L/min	6.7 gpm, 25.4 L/min	7.8 gpm, 29.5 L/min
R60000-UNBXHF (High Flow)	7.0 gpm, 26.5 L/min	8.6 gpm, 32.6 L/min	9.9 gpm, 37.5 L/min
R60000-UNWSHF (High Flow)	6.0 gpm, 22.7 L/min	7.4 gpm, 28.0 L/min	8.6 gpm, 32.6 L/min

NOTES: R60000-UNBXHF and R60000-UNWSHF roughs for use with Custom Shower and Shower only applications. Must use R60000-UNBX or R60000-UNWS for Tub/Shower or Tub only applications. Adding a 3 or 6 function diverter will reduce flow rates. Flow rates vary by shower component. Other installation factors could impact maximum flow.

INTEGRATED TEMPASSURE® THERMOSTATIC CARTRIDGE			
MULTICHOICE® UNIVERSAL INTEGRATED SHOWER DIVERTER ROUGH	40 PSI, 275 kPa Shower Port	60 PSI, 414 kPa Shower Port	80 PSI, 550 kPa Shower Port
R75000	5.9 gpm, 22.4 L/min	7.2 gpm, 27.3 L/min	8.3 gpm, 36.1 L/min
R75000-WS	5.3 gpm, 20.0 L/min	6.5 gpm, 24.6 L/min	7.4 gpm, 28.1 L/min

NOTES: Flow rates vary by shower component. Other installation factors could impact maximum flow rate.

SENSORI® THERMOSTATIC CARTRIDGE			
SENSORI® ROUGHS	40 PSI, 275 kPa Shower Port	60 PSI, 414 kPa Shower Port	80 PSI, 550 kPa Shower Port
R66000-WS (Thermostatic Valve Rough Only)	9.5 gpm, 36.0 L/min	12.0 gpm, 45.4 L/min	13.4 gpm, 50.7 L/min
R66000-WS (Thermostatic Valve Rough) & R35600 (Volume Control Rough)	7.5 gpm, 28.2 L/min	9.1 gpm, 34.6 L/min	10.5 gpm, 39.8 L/min

NOTES: Volume controls are required for every outlet and every set of body sprays (up to 9.1 gpm @ 60 psi with R35600). Flow rates vary by shower component. Other installation factors could impact maximum flow rate.

PRESSURE BALANCE SHOWERS

Even the “basics” are anything but. Pressure balance showers flow at one volume and have a single handle for temperature control. This system features a specially engineered valve that dynamically compensates for changes in water pressure to maintain a constant shower temperature within $\pm 3.6^{\circ}\text{F}$ ($\pm 2^{\circ}\text{C}$).



AVAILABLE COLLECTION TRIMS



Litze™ | PG 54



Odin™

Complements Quiessence® collection



Jason Wu for Brizo™



RSVP®* | PG 62

* Must order as shower only or tub/shower package.



AVAILABLE COLLECTION TRIMS (cont'd)



Siderna® | PG 66
Complements Loki® collection



Sotria® | PG 70



Traditional*
Complements Baliza®, Charlotte®, Providence™, Rook™ and Tresa® collections




Vesi®*
Complements Virage® collection

* Must order as shower only or tub/shower package.

TEMPASSURE® THERMOSTATIC SHOWERS

A shower experience that is all about control. TempAssure Thermostatic showers have separate volume and temperature controls for a completely personal experience. The valve functions like a thermostat, so you only have to set your desired temperature once and you can return to it with every shower, while also maintaining a consistent water temperature $\pm 3.6^{\circ}\text{F}$ ($\pm 2^{\circ}\text{C}$).



AVAILABLE COLLECTION TRIMS



Baliza®



Charlotte® | PG 46



Litze™ | PG 54



Odin™
Complements Quiescence® collection



Jason Wu for Brizo™



Rook™ | PG 58



AVAILABLE COLLECTION TRIMS (cont'd)



RSVP® | PG 62



Siderna® | PG 66
Complements Loki® collection



Sotria® | PG 70



Traditional
Complements Providence™ and Tresa® collections



Vesi®



Virage® | PG 78

TEMPASSURE® THERMOSTATIC SHOWERS + INTEGRATED DIVERTER

Combining temperature, volume and diverter control into one unit, the TempAssure Thermostatic Shower with Integrated Diverter simplifies and streamlines your custom shower design. The valve functions like a thermostat, so you only have to set your desired temperature once and you can return to it with every shower, while also maintaining a consistent water temperature $\pm 3.6^{\circ}\text{F}$ ($\pm 2^{\circ}\text{C}$).



AVAILABLE COLLECTION TRIMS



Litze™ | PG 54



Rook™ | PG 58



SENSORI® SHOWERS

Limitless is an understatement with our completely customizable Sensori shower system. All Sensori showers allow for separate control of both temperature and volume, with independent volume controls to activate each component individually, while maintaining a consistent water temperature $\pm 3.6^{\circ}\text{F}$ ($\pm 2^{\circ}\text{C}$).



AVAILABLE COLLECTION TRIMS AND VOLUME CONTROLS

Baliza®



Charlotte® | PG 46



Litze™ | PG 54



Odin™



Jason Wu for Brizo™



Rook™ | PG 58




Complements Quiescence® collection



AVAILABLE COLLECTION TRIMS AND VOLUME CONTROLS (cont'd)

RSVP® | PG 62




Siderna® | PG 66



Complements Loki® collection

Sotria® | PG 70




Traditional



Complements Providence™ and Tresa® collections

Vesi®



Virage® | PG 78



WALL MOUNT SHOWERHEADS

With a large selection of available styles, our wall mount showerheads are beautiful starting points—or finishing touches—for any bath.



AVAILABLE SHOWERHEADS



Baliza^{®†}
Complements Providence™
and Tresa® collections



Charlotte^{®†} | PG 46



**Jason Wu
for Brizo™†**



Litze™† | PG 54



Odin™†
Complements Quiescence®
and Sotria® collections



Rook™† | PG 58



RSVP^{®†} | PG 62



Siderna^{®†} | PG 66
Complements Loki® collection



Sotria^{®†} | PG 70



Traditional
Complements Baliza®,
Providence™, Rook™ and
Tresa® collections



Vesi^{®†}



Virage^{®†} | PG 78

† Select showerheads in collection are available with 2.0 gpm max flow rate

CEILING MOUNT RAINCAN SHOWERHEADS

Ceiling mount raincan showerheads are a stylish centerpiece in any custom shower system and provide a superior shower experience.



AVAILABLE SHOWERHEADS



Charlotte® | PG 46



Jason Wu for Brizo™†



Odin™†
Complements Litze™ and Quiescence® collections



Litze™† | PG 54
Complements Odin™ collection



RSVP® | PG 62



Siderna®† | PG 66
Complements Loki® collection



Sotria® | PG 70



Traditional†
Complements Baliza®, Providence™, Rook™ and Tresa® collections



Vesi®†
Complements Loki® and Siderna® collections



Virage®† | PG 78

† Available with 2.0 gpm max flow rate



HYDRATI® 2|1 SHOWERS



Hydrati 2|1 showers offer resounding proof that design, performance and flexibility aren't mutually exclusive. Featuring a showerhead design with an integrated handshower—seamlessly held in place using MagneDock® Technology—Hydrati 2|1 showers effortlessly adjust to a wide range of uses. And both the showerhead and handshower incorporate H₂Okinetic® Technology, for an immersive, indulgent experience while using less water.

Traditional Round 86200

Available in PC, PN, NK, BN, BZ, RB, NKBL



Transitional Square 86201

Available in PC, PN, BN, BZ, RB, PNCO



Euro Round 86275

Available in PC, PN, NK, BN, GL, BL



Euro Square 86280

Available in PC, BN, BL



WATER EFFICIENT 2.0 GPM HYDRATI® 2|1 SHOWERS

Round 86220-ECO

Available in PC, PN, NK, GL, RB



Square 86280-ECO

Available in PC, BN, BL



SLIDE BAR HANDSHOWERS

A slide bar handshower provides enhanced flexibility, letting you easily adjust the handshower's height.

Charlotte® | PG 46



Euro



Complements Odin™ and Quiescence® collections

Jason Wu for Brizo™



Litze™ | PG 54



Also available without wheel

Odin™



Complements Quiescence® collection

Rook™ | PG 58



RSVP® | PG 62



Siderna® | PG 66



Complements Loki® collection

Sotria® | PG 70



Traditional



Complements Baliza® Providence™ and Tresa® collections

Virage® | PG 78



WALL MOUNT HANDSHOWERS


A wall mount handshower emphasizes simplicity, providing a clean, minimal look.

Baliza®




Complements Providence™ and Tresa® collections

Charlotte® | PG 46



Jason Wu for Brizo™



Litze™ | PG 54



Odin™



Complements Quiescence® collection

Rook™ | PG 58



Siderna® | PG 66



Complements Loki® collection

Sotria® | PG 70



Vesi®



Complements Providence™ and Tresa® collections

Virage® | PG 78



HYDRACHOICE™ MAX BODY SPRAY SYSTEM

EXPERIENCE THE LUXURY OF A CUSTOM FIT.

Customization is a luxury that people have been chasing since the dawn of time. We like to put our stamp on things. And claim them as our own.

We also like the symmetry, comfort and pleasure that comes with the perfect fit. We tailor our pants, we hem our dresses, and we personalize everything from the shoes we wear to the mattresses we sleep on.

And now, with its clean lines and flush mount design, the HydraChoice Max Body Spray System has the power to customize your shower. The system also offers a choice of four interchangeable spray heads. Spray options include Invigorating, Massaging, and Soothing, all featuring H₂Okinetic® Technology, as well as a full spray option featuring Touch-Clean® nozzles.

With the HydraChoice Max Body Spray System, your shower transforms from being just another part of the morning routine, to a personal sanctuary, unique to only you.





The HydraChoice Max Body Spray System offers the clean lines of a flush mount design with maximum flexibility and functionality. The spray heads extend automatically when water is turned on and can be adjusted 50 degrees in any direction, allowing you to aim the water exactly where it's wanted. Must order HydraChoice Rough, HydraChoice Max round or square trim, and desired spray heads separately.



HYDRACHOICE™
SOOTHING
SPRAY HEAD WITH
H₂OKINETIC®
TECHNOLOGY



HYDRACHOICE™
INVIGORATING
SPRAY HEAD WITH
H₂OKINETIC®
TECHNOLOGY



HYDRACHOICE™
MASSAGING
SPRAY HEAD WITH
H₂OKINETIC®
TECHNOLOGY



HYDRACHOICE™
TOUCH-CLEAN®
SPRAY HEAD



AVAILABLE FINISHES

-  POLISHED CHROME (PC)
-  BRILLIANCE® POLISHED NICKEL (PN)
-  BRILLIANCE® LUXE NICKEL® (NK)
-  BRILLIANCE® BRUSHED NICKEL (BN)
-  BRILLIANCE® LUXE GOLD™ (GL)
-  BRILLIANCE® BRUSHED BRONZE (BZ)
-  VENETIAN BRONZE® (RB)
-  MATTE BLACK (BL)




An aerial night view of a city with many lit-up buildings. In the foreground, the corner of a white bathtub is visible. The text 'TUB FILLERS' is overlaid in the center in a white serif font.

TUB FILLERS

SINGLE-HANDLE FREESTANDING TUB FILLERS

With clean lines and minimal ornamentation, single-handle freestanding tub fillers by Brizo® effortlessly evoke a contemporary design aesthetic—bringing stunning new life to a modern or traditional bath space. Beyond simply making a statement, this collection of freestanding tub fillers incorporates a wealth of innovative features, including an indexing handshower to ensure drips land in the tub instead of on the floor, as well as H₂Okinetic® handshowers (on select models) to provide an indulgent experience, while using less water. The floor mount rough increases faucet stability, simplifies installation and allows for a constant spout height to the finished floor. And the high flow rate on all models allows you to fill the tub more efficiently—and escape to your private retreat even faster.



ORDERING SINGLE-HANDLE MODELS

With several unique architectures available, the hardest part of creating your perfect bath with a Brizo freestanding tub filler may be choosing which design you like best. Fortunately, the rough can be ordered separately and installed before you have to decide. This also minimizes the risk that the trim will be damaged or misplaced during construction.



**Rough available with and without stops*

SINGLE-HANDLE FREESTANDING TUB FILLERS

Jason Wu For Brizo™

T70175
Available in: BL

Height: 40 1/2"
Reach: 8 7/8"

Max Flow:
14.5 gpm @ 60 psi
55 L/min @ 414 kPa
with R70100

12 gpm @ 60 psi
46 L/min @ 414 kPa
with R70100-WS

H₂Okinetic®
Handshower
Max Flow:
2.0 gpm @ 80 psi
7.6 L/min @ 550 kPa



Litze™

T70135
Available in: PC, PN, NK, GL

Height: 39 3/4"
Reach: 9 1/4"

Max Flow:
14.5 gpm @ 60 psi
55 L/min @ 414 kPa
with R70100

12 gpm @ 60 psi
46 L/min @ 414 kPa
with R70100-WS

H₂Okinetic®
Handshower
Max Flow:
2.0 gpm @ 80 psi
7.6 L/min @ 550 kPa



Rook™

Available Q4 2015
T70161
Available in: PC, PN, RB,
NK, NKBL

Height: 38 1/4"
Reach: 9 3/4"

Max Flow:
13.0 gpm @ 60 psi,
49 L/min @ 414 kPa with
R70100

10.5 gpm @ 60 psi,
40 L/min @ 414 kPa with
R70100-WS

Handshower
Max Flow:
2.0 gpm @ 80 psi,
7.6 L/min @ 550 kPa



Levoir™

T70198
Available in: PC, PN, NK, SL, GL

Height: 37"
Reach: 9 3/8"

Max Flow:
14.5 gpm @ 60 psi
55 L/min @ 414 kPa
with R70100

12 gpm @ 60 psi
45.0 L/min @ 414 kPa
with R70100-WS

H₂Okinetic®
Handshower
Max Flow:
1.75 gpm @ 80 psi
6.6 L/min @ 550 kPa



Sotria®

T70150
Available in: PC, PN, NK, BL

Height: 39"
Reach: 11 11/16"

Max Flow:
14.5 gpm @ 60 psi
55 L/min @ 414 kPa
with R70100

12 gpm @ 60 psi
46 L/min @ 414 kPa
with R70100-WS

H₂Okinetic®
Handshower
Max Flow:
2.0 gpm @ 80 psi
7.6 L/min @ 550 kPa



Virage®

T70130
Available in: PC, BN, PN, BZ, RB

Height: 40 1/2"
Reach: 9 3/8"

Max Flow:
14.5 gpm @ 60 psi
55 L/min @ 414 kPa
with R70100

12 gpm @ 60 psi
46 L/min @ 414 kPa
with R70100-WS

H₂Okinetic®
Handshower
Max Flow:
2.0 gpm @ 80 psi
7.6 L/min @ 550 kPa



WORLD CLASS

IN A STUNNING NEW RESORT, BRIZO®
PRODUCT DESIGN HELPS BRING TO LIFE
THE PERFECT MARRIAGE OF NATURAL
BEAUTY AND EXQUISITE LUXURY.

PHOTOGRAPHY COURTESY OF
THE MANDAPA, A RITZ-CARLTON RESERVE

For many, Bali is the closest thing that exists to paradise on earth. Travelers visit the island from around the world to lie on its tropical beaches, explore its soaring mountains, and savor its rich, diverse culture.

It was against this unsurpassed background that Jeffrey Wilkes, a renowned interior designer based out of Kuala Lumpur, Malaysia, was tasked with creating a luxurious experience for Mandapa, A Ritz-Carlton Reserve resort. And that started with emphasizing the natural beauty of the resort's surroundings.



“THE BEAUTIFUL, GENTLE CURVE OF THE [VIRAGE][®] FAUCET—THE WAY IT STARTS AS A SQUARE AND TWISTS ITS WAY UP—IT FELT LIKE THE BRANCHES OF THE TREES IN THE LANDSCAPE.

JEFFREY WILKES, *DESIGNER*



“The color of the earth really spoke to us,” says Wilkes. “That rich chocolaty color became part of the language we were using throughout—and we wanted faucets and taps that would complement that.”

Wilkes found his ideal choice in the Virage Bath Collection. He was instantly attracted by “the brushed bronze color, because it had a golden quality lying underneath.”

The shape was equally appealing. “The beautiful, gentle curve of the faucet—the way it starts as a square and twists its way up—it felt like the branches of the trees in the landscape,” he explains.

“And when you can bring those elements of nature to the interior, it enriches it.”

The result of Jeffrey’s vision speaks for itself. Mandapa, A Ritz-Carlton Reserve represents a new standard of luxurious beauty on an island already awash with world-class accommodations. Wilkes, however, is quick to deflect much of the credit.

“At the end of the day, nature is really the best designer,” he says.



LUXURY DESIGN *PROJECTS*

A beautiful and functional kitchen. An indulgent spa-like retreat. Brizo® product designs cannot be defined by a single style. With collections ranging from contemporary to classic and everything in between, there's an aesthetic to inspire any space. See how Brizo products complement a room, create an eye-catching focal point, or define a mood.



ATELIER 216

Studio Zung | Ty Cole Photography | Amagansett, NY
Bath Collection: Jason Wu for Brizo™ | Kitchen Collection: Solna®



CAVITT RANCH

The Hills Group | Kat Alves Photography | Granite Bay, CA
Bath Collections: Odin™ & Siderna® | Kitchen Collection: Solna®



TRAVIS HEIGHTS

Erin Williamson | Erin Williamson Photography | Austin, TX
Bath Collection: Siderna®



ARIA ON THE BAY

Mike Butler Photography | Miami, FL
Kitchen Collection: Vuelo®



2016 DECORATOR'S SHOW HOUSE

DezignWorks, Todd Otterman | Rob Banayote Photography | Indianapolis, IN
Kitchen Collection: Tresa®



LUMA CONDOMINIUM

Weber Thompson | Aaron Locke Photography | Seattle, WA
Bath Collection: Odin™







BRIZO.COM

BRIZO

BRIZO KITCHEN & BATH COMPANY
55 EAST 111TH STREET
PO BOX 40980
INDIANAPOLIS, IN 46280 USA
1 877 345 BRIZO (2749)

©2018 BRIZO KITCHEN
& BATH COMPANY

customerareindia@deltafaucet.com
+91 8130 518 936

BR-0641 09/2018

